

APOLLO
RADIATORS



Elegance & Style 2017

www.apolloradiators.co.uk

made in the UK and Europe

APOLLO radiator ranges

lightweight designer aluminium radiators



magenta flat page 6



magenta curve page 8




malpensa flat page 10



malpensa curved page 12

modern aluminium radiators



modena page 16



monza page 22




roma



page 26

classic steel column radiators

contemporary steel designer radiators




bassano page 36



capri page 46




milano page 50




rimini page 56

contemporary stainless steel radiators



ferrara page 34




see www.apolloradiators.co.uk

traditional style cast iron column radiators



firenze



page 60



malpensa wave page 14

APOLLO towel warmer ranges

steel towel warmers

contemporary steel towel warmers



napoli page 62



palermo page 66



pavia page 68



venezia page 70

decorative contemporary stainless steel towel warmers



garda



page 72



genova



page 76

traditional UK made brass bathroom radiators

further accessories and information



ravenna page 78



ravenna plus page 80

valves page 82

electric options page 84

about apollo page 85

terms and conditions page 85

APOLLO standard colours


Colours are applied by powder coating



RAL 1013
Oyster white



RAL 1014
Ivory



RAL 1015
Light ivory



RAL 1016
Sulphur yellow



RAL 1021
Rape yellow



RAL 1023
Traffic yellow



RAL 3000
Flame red



RAL 3003
Ruby red



RAL 3020
Traffic red



RAL 5003
Sapphire blue



RAL 5007
Brilliant blue



RAL 5009
Azure blue



RAL 5010
Gentian blue



RAL 5011
Steel blue



RAL 5013
Cobalt blue



RAL 5022
Night blue



RAL 5024
Pastel blue

Standard RAL colours are 80/20% gloss, not matt.
Finished product colour always varies from printed.
Metal swatches for individual colours are available.
We strongly recommend a coloured metal swatch is checked before ordering.



RAL 6005
Moss green



RAL 6019
Pastel green



RAL 6021
Pale green



RAL 6024
Traffic green



RAL 6027
Light green



RAL 6028
Pine green



RAL 7001
Silver grey



RAL 7004
Signal grey



RAL 7015
Slate grey



RAL 7016
Anthracite grey



RAL 7024
Graphite grey



RAL 7026
Granite grey



RAL 7032
Pebble grey



RAL 7035
Light grey



RAL 7040
Window grey



RAL 8011
Nut brown



RAL 8017
Chocolate brown



RAL 9001
Cream white



RAL 9003
Signal white



RAL 9004
Signal black



RAL 9005
Jet black



RAL 9006
White Aluminium



RAL 9010
Pure White



RAL 9016
Traffic white




Brown
Textured
Metallic
Matt



Grey
Textured
Metallic
Matt



Black
Textured
Metallic
Matt



White
Anti Bacterial
Matt



Bronze
Satin



Black
Metallic
Gloss

APOLLO magenta flat



- lightweight designer aluminium radiator
- modern minimal style
- ideal for any room, vertical, horizontal and low level sizes in stock
- anthracite, aluminium and white in stock, available in 3 days
- this radiator is reversible, one side is a smooth finish, one side a corrugated finish
- safety brackets are standard

magenta flat aluminium designer radiator

lightweight designer aluminium radiators

SIZE		SECTIONS	OUTPUT		STOCK CODE	PRICE ANTHRACITE / ALUMINIUM / WHITE
HEIGHT	WIDTH		WATT	BTU		
MAGENTA FLAT VERTICAL						
1800	315	4	930	3173	MAGFR18H4S	260.00
1800	395	5	1163	3968	MAGFR18H5S	325.00
1800	475	6	1396	4763	MAGFR18H6S	390.00
1800	555	7	1628	5555	MAGFR18H7S	455.00
1800	655	8	1861	6350	MAGFR18H8S	520.00
MAGENTA FLAT HORIZONTAL						
600	475	6	602	2054	MAGFR6H6S	210.00
600	635	8	802	2736	MAGFR6H8S	280.00
600	795	10	1003	3422	MAGFR6H10S	350.00
600	955	12	1203	4105	MAGFR6H12S	420.00
600	1195	15	1504	5132	MAGFR6H15S	525.00
600	1435	18	1805	6159	MAGFR6H18S	630.00
MAGENTA FLAT LOW LEVEL						
300	955	12	679	2317	MAGFR3H12S	420.00
300	1195	15	848	2893	MAGFR3H15S	525.00
300	1435	18	1018	3473	MAGFR3H18S	630.00

DIMENSIONS - MAGENTA FLAT

Back wall to front of rad	77mm
Back wall to tapping centres	50mm
Distance between tapping centres	As width



MAGENTA INFORMATION

EN442 Outputs ΔT_{50C}

Correction factor to $\Delta T_{60C} = 1.2675$

For more technical info see www.apolloradiators.co.uk

All prices subject to VAT

Available in three colours:



RAL 7016
Anthracite grey
smooth matt



RAL 9006
White aluminium
gloss



RAL 9016
Traffic white
gloss



top view horizontal and low level



flat side



corrugated side

complementary products



magenta
curve



malpensa
flat



malpensa
curved



malpensa
wave

APOLLO magenta curve



magenta curve aluminium designer radiator

lightweight designer aluminium radiators

SIZE		SECTIONS	OUTPUT		STOCK CODE	PRICE ANTHRACITE / ALUMINIUM / WHITE
HEIGHT	WIDTH		WATT	BTU		
MAGENTA CURVE VERTICAL						
1800	315	4	1032	3521	MAGC18H4S	260.00
1800	395	5	1290	4401	MAGC18H5S	325.00
1800	475	6	1548	5282	MAGC18H6S	390.00
1800	555	7	1806	6162	MAGC18H7S	455.00
1800	635	8	2064	7042	MAGC18H8S	520.00
MAGENTA CURVE HORIZONTAL						
600	475	6	648	2211	MAGC6H6S	210.00
600	635	8	864	2948	MAGC6H8S	280.00
600	795	10	1080	3685	MAGC6H10S	350.00
600	955	12	1296	4422	MAGC6H12S	420.00
600	1195	15	1620	5527	MAGC6H15S	425.00
600	1435	18	1944	6633	MAGC6H18S	630.00
MAGENTA CURVE LOW LEVEL						
300	955	12	720	2457	MAGC3H12S	420.00
300	1195	15	900	3071	MAGC3H15S	525.00
300	1435	18	1080	3685	MAGC3H18S	630.00

DIMENSIONS - MAGENTA CURVE

Back wall to front of rad	88mm
Back wall to pipe centres	50mm
Distance between tapping centres	as width



MAGENTA INFORMATION

EN442 Outputs $\Delta T50C$

Correction factor to $\Delta T60C = 1.2675$

For more technical info see www.apolloradiators.co.uk

All prices subject to VAT

Available in three colours:



RAL 7016
Anthracite grey
smooth matt



RAL 9006
White aluminium
gloss



RAL 9016
Traffic white
gloss



top view

complementary products



magenta
flat



malpensa
flat



malpensa
curved



malpensa
wave

APOLLO malpensa flat



- ultra lightweight designer aluminium radiator
- modern minimal style
- ideal for any room, vertical, horizontal and low level sizes in stock
- anthracite matt textured metallic in stock, available in 3 days

malpensa flat aluminium designer radiator

lightweight designer aluminium radiators

SIZE		SECTIONS	OUTPUT		STOCK CODE	PRICE ANTHRACITE
HEIGHT	WIDTH		WATT	BTU		
MALPENSA FLAT VERTICAL						
1800	400	5	940	3207	MALF18H5S	250.00
1800	480	6	1128	3849	MALF18H6S	300.00
1800	560	7	1316	4490	MALF18H7S	350.00
1800	640	8	1504	5132	MALF18H8S	400.00
1800	720	9	1692	5773	MALF18H9S	450.00
MALPENSA FLAT HORIZONTAL						
600	480	6	420	1433	MALF6H6S	150.00
600	640	8	560	1911	MALF6H8S	200.00
600	800	10	700	2388	MALF6H10S	250.00
600	960	12	840	2866	MALF6H12S	300.00
600	1200	15	1050	3583	MALF6H15S	375.00
600	1440	18	1260	4299	MALF6H18S	450.00
MALPENSA FLAT LOW LEVEL						
300	960	12	462	1576	MALF3H12S	300.00
300	1200	15	578	1972	MALF3H15S	375.00
300	1440	18	693	2365	MALF3H18S	450.00

DIMENSIONS - MALPENSA FLAT

Back wall to front of rad	75mm
Back wall to tapping centres	56mm
Distance between tapping centres	As width



MALPENSA RANGE INFORMATION

EN442 Outputs $\Delta T50C$

Correction factor to $\Delta T60C = 1.2675$

For more technical info see www.apolloradiators.co.uk

All prices subject to VAT


Available in:



made in
ITALY



Anthracite
matt textured metallic



top view horizontal and low level

complementary products



magenta
flat



magenta
curve



malpensa
curved



malpensa
wave

APOLLO malpensa curved

- lightweight designer aluminium radiator
- modern minimal industrial style
- ideal for any room, vertical, horizontal and low level sizes in stock
- anthracite matt textured metallic in stock, available in 3 days
- elegant curved end sections



malpensa curved aluminium designer radiator

lightweight designer aluminium radiators

SIZE		SECTIONS	OUTPUT		STOCK CODE	PRICE ANTHRACITE
HEIGHT	WIDTH		WATT	BTU		
MALPENSA CURVED VERTICAL						
1800	356	3	955	3258	MALC18H3S	255.00
1800	476	4	1273	4343	MALC18H4S	340.00
1800	596	5	1591	5428	MALC18H5S	425.00
1800	716	6	1909	6513	MALC18H6S	510.00
MALPENSA CURVED HORIZONTAL						
600	476	4	524	1788	MALC6H4S	160.00
600	716	6	787	2685	MALC6H6S	240.00
600	956	8	1049	3579	MALC6H8S	320.00
600	1196	10	1311	4473	MALC6H10S	400.00
600	1436	12	1573	5367	MALC6H12S	480.00
MALPENSA CURVED LOW LEVEL						
300	956	8	632	2156	MALC3H8S	320.00
300	1196	10	790	2695	MALC3H10S	400.00
300	1436	12	948	3235	MALC3H12S	480.00

DIMENSIONS - MALPENSA CURVED

Back wall to front of rad	84mm
Back wall to tapping centres	25mm
Distance between tapping centres	As width



MALPENSA INFORMATION

EN442 Outputs $\Delta T50C$

Correction factor to $\Delta T60C = 1.2675$

For more technical info see www.apolloradiators.co.uk

All prices subject to VAT

Available in:



Anthracite
matt textured metallic



top view horizontal and low level

complementary products



magenta
flat



magenta
curve



malpensa
flat



malpensa
wave

APOLLO malpensa wave



- lightweight designer aluminium radiator
- modern minimal industrial style
- ideal for any room, vertical, horizontal and low level sizes in stock
- anthracite matt textured metallic in stock, available in 3 days
- elegant waved design

malpensa wave aluminium designer radiator

lightweight designer aluminium radiators

SIZE		SECTIONS	OUTPUT		STOCK CODE	PRICE ANTHRACITE
HEIGHT	WIDTH		WATT	BTU		
MALPENSA WAVE VERTICAL						
1800	408	5	1088	4705	MALW18H5S	350.00
1800	568	7	1523	6585	MALW18H7S	490.00
1800	728	9	1958	8469	MALW18H9S	630.00
MALPENSA WAVE HORIZONTAL						
600	568	7	628	2143	MALW6H7S	245.00
600	728	9	807	2753	MALW6H9S	315.00
600	888	11	987	3368	MALW6H11S	385.00
600	1048	13	1166	3978	MALW6H13S	455.00
600	1208	15	1346	4593	MALW6H15S	525.00
600	1368	17	1525	5203	MALW6H17S	595.00
MALPENSA WAVE LOW LEVEL						
300	1048	13	702	2395	MALW3H13S	455.00
300	1208	15	810	2764	MALW3H15S	525.00
300	1368	17	918	3132	MALW3H17S	595.00

DIMENSIONS - MALPENSA WAVE

Back wall to front of rad	126mm
Back wall to tapping centres	81mm
Distance between tapping centres	As width



MALPENSA INFORMATION

EN442 Outputs $\Delta T50C$

Correction factor to $\Delta T60C = 1.2675$

For more technical info see www.apolloradiators.co.uk

All prices subject to VAT

Available in:



Anthracite
matt textured metallic



top view horizontal and low level

complementary products



magenta flat



magenta curve



malpensa flat



malpensa curved

APOLLO modena vertical

- aesthetic, efficient and environmentally friendly
- very quick response time, versatile and large range
- gentle lines easy on the eye, unlike many other aluminium radiators on the market
- stock sizes in white (RAL 9016) available within 3 days



modena vertical aluminium radiator

modern minimalist die cast and extruded aluminium radiators
 suitable for low temperature systems with ground or air source heat pumps
 bottom side connections - load bearing wall required

SIZE		SECTIONS	OUTPUT		PRICE WHITE (RAL 9016)	STOCK CODE	APOLLO STANDARD COLOURS
HEIGHT	WIDTH		WATT	BTU			
MODENA VERTICAL							
1442	240	3	756	2580	195.00	FALV14H3S	263.25
1442	320	4	1008	3440	260.00	FALV14H4S	351.00
1442	400	5	1260	4300	325.00	FALV14H5S	438.75
1442	480	6	1512	5160	390.00	FALV14H6S	526.50
1442	560	7	1764	6020	455.00	FALV14H7S	614.25
1442	640	8	2016	6880	520.00	FALV14H8S	702.00
1842	240	3	924	3153	240.00	FALV18H3S	324.00
1842	320	4	1232	4204	320.00	FALV18H4S	432.00
1842	400	5	1540	5255	400.00	FALV18H5S	540.00
1842	480	6	1848	6306	480.00	FALV18H6S	648.00
1842	560	7	2156	7357	560.00	FALV18H7S	756.00
1842	640	8	2464	8408	640.00	FALV18H8S	864.00

DIMENSIONS - VERTICAL

Size nominal: Actual width = (No. sections x 80mm) + 20mm

Back wall to front of rad	125mm
Back wall to pipe centres	75mm
Distance between tapping centres	Width plus 20mm

MODENA INFORMATION

EN442 Outputs $\Delta T50C$

Correction factor to $\Delta T60C = 1.2675$

For more technical info see www.apolloradiators.co.uk

This product is of Italian origin assembled in Croatia

All prices subject to VAT



made in
ITALY



complementary products



modena horizontal



modena flat



napoli



venezia

compatible valves: for more information see page 82



LWV15A



LCV15A



LCTRV15A




CCVC



TFPK

APOLLO standard colours

for more information see page 5



APOLLO modena horizontal



- aesthetic, efficient and environmentally friendly
- very quick response time, versatile and huge range
- gentle lines easy on the eye, unlike many other aluminium radiators on the market
- stock sizes in white (RAL 9016) available within 3 days

RAL 9016

modena horizontal aluminium radiator

modern minimalist die cast and extruded aluminium radiators
 suitable for low temperature systems with ground or air source heat pumps
 bottom side connections

SIZE		SECTIONS	OUTPUT		STOCK CODE	PRICE (RAL 9016)
HEIGHT	WIDTH		WATT	BTU		
MODENA HORIZONTAL						
430	320	4	368	1256	FALH4H4S	80.00
430	480	6	552	1884	FALH4H6S	120.00
430	640	8	736	2512	FALH4H8S	160.00
430	800	10	920	3139	FALH4H10S	200.00
430	960	12	1104	3767	FALH4H12S	240.00
430	1200	15	1380	4709	FALH4H15S	300.00
580	320	4	484	1652	FALH5H4S	84.00
580	480	6	726	2478	FALH5H6S	126.00
580	640	8	968	3304	FALH5H8S	168.00
580	800	10	1210	4130	FALH5H10S	210.00
580	960	12	1452	4956	FALH5H12S	252.00
580	1200	15	1815	6195	FALH5H15S	315.00
680	320	4	552	1884	FALH6H4S	92.00
680	480	6	828	2826	FALH6H6S	138.00
680	640	8	1104	3768	FALH6H8S	184.00
680	800	10	1380	4710	FALH6H10S	230.00
680	960	12	1656	5652	FALH6H12S	276.00
680	1200	15	2070	7065	FALH6H15S	345.00
780	320	4	632	2156	FALH7H4S	104.00
780	480	6	948	3234	FALH7H6S	156.00
780	640	8	1264	4312	FALH7H8S	208.00
780	800	10	1580	5390	FALH7H10S	260.00
780	960	12	1896	6468	FALH7H12S	312.00
880	320	4	692	2360	FALH8H4S	120.00
880	480	6	1038	3540	FALH8H6S	180.00
880	640	8	1384	4720	FALH8H8S	240.00
880	800	10	1730	5900	FALH8H10S	300.00

DIMENSIONS - HORIZONTAL

Size nominal: Actual width = (No. sections x 80mm) + 20mm

Back wall to front of rad	120mm
Back wall to pipe centres	75mm
Distance between tapping centres	Width plus 20mm

MODENA INFORMATION

EN442 Outputs $\Delta T50C$

Correction factor to $\Delta T60C = 1.2675$

For more technical info see www.apolloradiators.co.uk

All prices subject to VAT



complementary products



modena vertical



modena fiat



napoli



venezia

compatible valves: for more information see page 82



LWV15A



LCV15A



LCTRV15A



CCVC



TFPK

APOLLO modena flat

- aesthetic, efficient and environmentally friendly
- very quick response time, versatile and huge range
- stock sizes in white (RAL 9016) available within 3 days



RAL 9016

modena flat aluminium radiator

modern minimalist die cast and extruded aluminium radiators
 suitable for low temperature systems with ground or air source heat pumps
 bottom side connections

SIZE		SECTIONS	OUTPUT		STOCK CODE	PRICE (RAL 9016)
HEIGHT	WIDTH		WATT	BTU		
MODENA FLAT						
430	320	4	372	1269	FALTF4H4S	84.00
430	480	6	558	1904	FALTF4H6S	126.00
430	640	8	744	2539	FALTF4H8S	168.00
430	800	10	930	3173	FALTF4H10S	210.00
430	960	12	1116	3808	FALTF4H12S	252.00
430	1200	15	1395	4760	FALTF4H15S	315.00
580	320	4	516	1761	FALTF5H4S	88.00
580	480	6	774	2641	FALTF5H6S	132.00
580	640	8	1032	3521	FALTF5H8S	176.00
580	800	10	1290	4401	FALTF5H10S	220.00
580	960	12	1548	5282	FALTF5H12S	264.00
580	1200	15	1935	6602	FALTF5H15S	330.00
680	320	4	600	2047	FALTF6H4S	96.00
680	480	6	900	3071	FALTF6H6S	144.00
680	640	8	1200	4094	FALTF6H8S	200.00
680	800	10	1500	5118	FALTF6H10S	240.00
680	960	12	1800	6142	FALTF6H12S	288.00
680	1200	15	2250	7677	FALTF6H15S	360.00
780	320	4	664	2266	FALTF7H4S	108.00
780	480	6	996	3398	FALTF7H6S	162.00
780	640	8	1328	4531	FALTF7H8S	216.00
780	800	10	1660	5664	FALTF7H10S	270.00
780	960	12	1992	6797	FALTF7H12S	324.00
880	320	4	728	2484	FALTF8H4S	124.00
880	480	6	1092	3726	FALTF8H6S	186.00
880	640	8	1456	4968	FALTF8H8S	248.00
880	800	10	1820	6210	FALTF8H10S	310.00

DIMENSIONS - FLAT

Size nominal: Actual width = (No. sections x 80mm) + 20mm

Back wall to front of rad	125mm
Back wall to pipe centres	75mm
Distance between tapping centres	Width plus 20mm

MODENA INFORMATION

EN442 Outputs $\Delta T50C$

Correction factor to $\Delta T60C = 1.2675$

For more technical info see www.apolloradiators.co.uk

All prices subject to VAT



complementary products



modena vertical



napoli



venezia

compatible valves: for more information see page 82



LWV15A



LCV15A



LCTRV15A



CCVC



TFPK

APOLLO monza vertical



- modern contemporary aluminium column radiator
- suitable for any living space, offices, shops
- unique design
- higher outputs than steel and half the weight
- available in white (RAL 9016) within 3 days
- available in a range of colours within 20 days

monza aluminium vertical column radiator

contemporary sectional aluminium column radiators, ideal for low temperature renewable systems bottom side connections



HEIGHT	WIDTH	SEC	WATT	BTU	PRICE WHITE (RAL 9016)	STOCK CODE	APOLLO STANDARD COLOURS	WATT	BTU	PRICE WHITE (RAL 9016)	STOCK CODE	APOLLO STANDARD COLOURS
2 COLUMN						3 COLUMN						
1270	300	6	594	2026	162.00	AL2C12H300	218.70	780	2661	216.00	AL3C12H300	291.60
1270	400	8	792	2702	216.00	AL2C12H400	291.60	1040	3548	288.00	AL3C12H400	388.80
1270	500	10	990	3377	270.00	AL2C12H500	364.50	1300	4435	360.00	AL3C12H500	486.00
1270	600	12	1188	4053	324.00	AL2C12H600	437.40	1560	5322	432.00	AL3C12H600	583.20
1270	700	14	1386	4729	378.00	AL2C12H700	510.30	1820	6209	504.00	AL3C12H700	680.40
1570	300	6	726	2477	180.00	AL2C15H300	243.00	942	3214	264.00	AL3C15H300	356.40
1570	400	8	968	3302	240.00	AL2C15H400	324.00	1256	4285	352.00	AL3C15H400	475.20
1570	500	10	1210	4128	300.00	AL2C15H500	405.00	1570	5356	440.00	AL3C15H500	594.00
1570	600	12	1452	4954	360.00	AL2C15H600	486.00	1884	6428	528.00	AL3C15H600	712.80
1570	700	14	1694	5780	420.00	AL2C15H700	567.00	2198	7499	616.00	AL3C15H700	831.60
1870	300	6	858	2927	198.00	AL2C18H300	267.30	1110	3787	288.00	AL3C18H300	388.80
1870	400	8	1144	3903	264.00	AL2C18H400	356.40	1480	5050	384.00	AL3C18H400	518.40
1870	500	10	1430	4879	330.00	AL2C18H500	445.50	1850	6312	480.00	AL3C18H500	648.00
1870	600	12	1716	5855	396.00	AL2C18H600	534.60	2220	7575	576.00	AL3C18H600	777.60
1870	700	14	2002	6830	462.00	AL2C18H700	623.70	2590	8837	672.00	AL3C18H700	907.20

MONZA INFORMATION & DIMENSIONS

Size nominal: Actual width = (No. sections x 46mm) + 20mm

Sectional radiator which can be joined with a key to make bespoke sizes

EN442 Outputs $\Delta T50C$

Correction factor to $\Delta T60C = 1.2675$

For more technical info see www.apolloradiators.co.uk

Example RAL stock code RAL7024_AL2C18H300

All prices subject to VAT



complementary products



monza horizontal



pavia



venezia

compatible valves: for more information see page 82



LWV15A



LCV15A



LCV15S



LCTR15A




CCVC



TFPK

APOLLO standard colours

for more information see page 5



APOLLO monza horizontal



- modern contemporary aluminium column radiator
- suitable for any living space, offices, shops
- unique design
- higher outputs than steel column radiators, half the weight
- available in white (RAL 9016) within 3 days
- available in a range of colours within 20 days



monza aluminium horizontal column radiator

contemporary sectional aluminium column radiators, ideal for low temperature renewable systems
bottom side connections

SECTION
DEPTH 70 MM
WIDTH 46 MM

BACK WALL TO PIPE CENTRES 60 MM
BACK WALL TO FRONT OF RAD 95 MM



SECTION
DEPTH 100 MM
WIDTH 46 MM

BACK WALL TO PIPE CENTRES 60 MM
BACK WALL TO FRONT OF RAD 110 MM



SECTION
DEPTH 140 MM
WIDTH 46 MM

BACK WALL TO PIPE CENTRES 80 MM
BACK WALL TO FRONT OF RAD 150 MM



HEIGHT	WIDTH	SEC	WATT	BTU	PRICE WHITE (RAL 9016)	STOCK CODE	APOLLO STANDARD COLOURS		WATT	BTU	PRICE WHITE (RAL 9016)	STOCK CODE	APOLLO STANDARD COLOURS		WATT	BTU	PRICE WHITE (RAL 9016)	STOCK CODE	APOLLO STANDARD COLOURS	
							WATT	BTU					WATT	BTU					WATT	BTU
MONZA HORIZONTAL																				
2 COLUMN							3 COLUMN							4 COLUMN						
420	400	8	312	1065	112.00	AL2C4H400	151.20													
420	600	12	468	1597	168.00	AL2C4H600	226.80	624	2129	192.00	AL3C4H600	259.20	792	2702	216.00	AL4C4H600	291.60			
420	800	17	663	2262	238.00	AL2C4H800	321.30	884	3016	272.00	AL3C4H800	367.20	1122	3828	306.00	AL4C4H800	413.10			
420	1000	21	819	2794	294.00	AL2C4H1000	396.90	1092	3726	336.00	AL3C4H1000	453.60	1386	4729	378.00	AL4C4H1000	510.30			
420	1200	25	975	3326	350.00	AL2C4H1200	472.50	1300	4435	400.00	AL3C4H1200	540.00	1650	5630	450.00	AL4C4H1200	607.50			
420	1400	30	1170	3992	420.00	AL2C4H1400	567.00	1560	5322	480.00	AL3C4H1400	648.00	1980	6755	540.00	AL4C4H1400	729.00			
570	400	8	400	1365	112.00	AL2C5H400	151.20	528	1802	128.00	AL3C5H400	172.80	672	2293	144.00	AL4C5H400	194.40			
570	600	12	600	2047	168.00	AL2C5H600	226.80	792	2702	192.00	AL3C5H600	259.20	1008	3439	216.00	AL4C5H600	291.60			
570	800	17	850	2900	238.00	AL2C5H800	321.30	1122	3828	272.00	AL3C5H800	367.20	1428	4872	306.00	AL4C5H800	413.10			
570	1000	21	1050	3583	294.00	AL2C5H1000	396.90	1386	4729	336.00	AL3C5H1000	453.60	1764	6019	378.00	AL4C5H1000	510.30			
570	1200	25	1250	4265	350.00	AL2C5H1200	472.50	1650	5630	400.00	AL3C5H1200	540.00	2100	7165	450.00	AL4C5H1200	607.50			
570	1400	30	1500	5118	420.00	AL2C5H1400	567.00	1980	6755	480.00	AL3C5H1400	648.00	2520	8598	540.00	AL4C5H1400	729.00			
670	400	8	456	1556	144.00	AL2C6H400	194.40	600	2047	160.00	AL3C6H400	216.00	768	2620	176.00	AL4C6H400	237.60			
670	600	12	684	2334	216.00	AL2C6H600	291.60	900	3071	240.00	AL3C6H600	324.00	1152	3931	264.00	AL4C6H600	356.40			
670	800	17	969	3306	306.00	AL2C6H800	413.10	1275	4350	340.00	AL3C6H800	459.00	1632	5568	374.00	AL4C6H800	504.90			
670	1000	21	1197	4084	378.00	AL2C6H1000	510.30	1575	5374	420.00	AL3C6H1000	567.00	2016	6879	462.00	AL4C6H1000	623.70			
670	1200	25	1425	4862	450.00	AL2C6H1200	607.50	1875	6397	500.00	AL3C6H1200	675.00	2400	8188	550.00	AL4C6H1200	742.50			
670	1400	30	1710	5834	540.00	AL2C6H1400	729.00	2250	7677	600.00	AL3C6H1400	810.00	2880	9826	660.00	AL4C6H1400	891.00			

MONZA INFORMATION & DIMENSIONS

Size nominal: Actual width = (No. sections x 46mm) + 20mm

Sectional radiator which can be joined with a key to make bespoke sizes

EN442 Outputs ΔT50C

Correction factor to ΔT60C = 1.2675

For more technical info see www.apolloradiators.co.uk

Example RAL stock code RAL7024_AL2C4H400

All prices subject to VAT




complementary products



compatible valves: for more information see page 82



APOLLO standard colours



for more information see page 5

APOLLO roma vertical



- classic steel column radiator in a wide range of sizes with fusion welding
- very versatile in both modern and period settings, in living rooms, dining rooms and kitchens, also ideal for narrow wall spaces (e.g. either side of patio doors / bay windows)
- available in white (RAL 9016) within 3 days
- a range of colours are available within 20 days

roma vertical steel column radiator

vertical, horizontal and freestanding classic steel multi column radiator in 150+ stock sizes
 bottom side connections
 load bearing wall required



HEIGHT	WIDTH	SEC	WATT	BTU	PRICE WHITE (RAL 9016)	STOCK CODE	APOLLO STANDARD COLOURS	WATT	BTU	PRICE WHITE (RAL 9016)	STOCK CODE	APOLLO STANDARD COLOURS
2 COLUMN						3 COLUMN						
1500	200	4	424	1446	120.00	2C15H200	162.00	572	1951	176.00	3C15H200	237.60
1500	300	6	636	2170	180.00	2C15H300	243.00	858	2927	264.00	3C15H300	356.40
1500	400	8	848	2893	240.00	2C15H400	324.00	1144	3903	352.00	3C15H400	475.20
1500	500	10	1060	3617	300.00	2C15H500	405.00	1430	4879	440.00	3C15H500	594.00
1500	600	12	1272	4340	360.00	2C15H600	486.00	1716	5855	528.00	3C15H600	712.80
1800	200	4	500	1706	132.00	2C18H200	178.20	680	2320	192.00	3C18H200	259.20
1800	300	6	750	2559	198.00	2C18H300	267.30	1020	3480	288.00	3C18H300	388.80
1800	400	8	1000	3412	264.00	2C18H400	356.40	1360	4640	384.00	3C18H400	518.40
1800	500	10	1250	4265	330.00	2C18H500	445.50	1700	5800	480.00	3C18H500	648.00
1800	600	12	1500	5118	396.00	2C18H600	534.60	2040	6960	576.00	3C18H600	777.60
2000	200	4	560	1910	144.00	2C20H200	194.40	756	2579	208.00	3C20H200	280.80
2000	300	6	840	2866	216.00	2C20H300	291.60	1134	3869	312.00	3C20H300	421.20
2000	400	8	1120	3821	288.00	2C20H400	388.80	1512	5158	416.00	3C20H400	561.60
2000	500	10	1400	4777	360.00	2C20H500	486.00	1890	6449	520.00	3C20H500	702.00
2000	600	12	1680	5732	432.00	2C20H600	583.20	2268	7738	624.00	3C20H600	842.40

ROMA INFORMATION

Price includes wall brackets CWB

EN442 Outputs ΔT50C

Correction factor to ΔT60C = 1.2675

For more technical info see www.apolloradiators.co.uk

Example RAL stock code RAL7024_2C15H200

All prices subject to VAT




	ABOVE WIDTHS NOMINAL				
Sections	4	6	8	10	12
Actual width(mm)	214	306	398	490	582

complementary products




compatible valves: for more information see page 82



APOLLO standard colours

for more information see page 5




APOLLO roma horizontal

- classic steel column radiator in a wide range of sizes with fusion welding
- very versatile in both modern and period settings, ideal for most applications
- available in white (RAL 9016) within 3 days
- a range of colours are available within 20 days



roma horizontal steel column radiator

bottom side connections
load bearing wall required



HEIGHT	WIDTH	SEC	WATT	BTU	PRICE WHITE (RAL 9016)	STOCK CODE	APOLLO STANDARD COLOURS	WATT	BTU	PRICE WHITE (RAL 9016)	STOCK CODE	APOLLO STANDARD COLOURS	WATT	BTU	PRICE WHITE (RAL 9016)	STOCK CODE	APOLLO STANDARD COLOURS	
																		ROMA HORIZONTAL
2 COLUMN							3 COLUMN						4 COLUMN					
300	1000	21	462	1576	294.00	2C3H1000	396.90	651	2221	336.00	3C3H1000	453.60	840	2866	378.00	4C3H1000	510.30	
300	1200	25	550	1877	350.00	2C3H1200	472.50	775	2644	400.00	3C3H1200	540.00	1000	3412	450.00	4C3H1200	607.50	
300	1400	30						930	3173	480.00	3C3H1400	648.00	1200	4094	540.00	4C3H1400	729.00	
300	1800	39						1209	4129	624.00	3C3H1800	842.40						
400	800	17	476	1624	238.00	2C4H800	321.30	697	2378	272.00	3C4H800	367.20	884	3016	306.00	4C4H800	413.10	
400	1000	21						861	2937	336.00	3C4H1000	453.60	1092	3725	378.00	4C4H1000	510.30	
400	1200	25	700	2388	350.00	2C4H1200	472.50	1025	3497	400.00	3C4H1200	540.00	1300	4435	450.00	4C4H1200	607.50	
400	1400	30						1230	4196	480.00	3C4H1400	648.00	1560	5322	540.00	4C4H1400	729.00	
500	250	5						255	870	80.00	3C5H250	108.00						
500	400	8						408	1392	128.00	3C5H400	172.80						
500	600	12	444	1514	168.00	2C5H600	226.80	612	2088	192.00	3C5H600	259.20	780	2661	216.00	4C5H600	291.60	
500	700	14						714	2436	224.00	3C5H700	302.40						
500	800	17	629	2146	238.00	2C5H800	321.30	867	2958	272.00	3C5H800	367.20	1105	3770	306.00	4C5H800	413.10	
500	1000	21	777	2651	294.00	2C5H1000	396.90	1071	3654	336.00	3C5H1000	453.60	1365	4657	378.00	4C5H1000	510.30	
500	1200	25	925	3156	350.00	2C5H1200	472.50	1275	4350	400.00	3C5H1200	540.00	1625	5544	450.00	4C5H1200	607.50	
500	1400	30	1110	3787	420.00	2C5H1400	567.00	1530	5220	480.00	3C5H1400	648.00	1950	6653	540.00	4C5H1400	729.00	
500	1600	35						1785	6090	560.00	3C5H1600	756.00	2275	7762	630.00	4C5H1600	850.50	
500	1800	39						1989	6786	624.00	3C5H1800	842.40	2535	8649	702.00	4C5H1800	947.70	
600	400	8	352	1201	112.00	2C6H400	151.20	480	1638	128.00	3C6H400	172.80	616	2102	144.00	4C6H400	194.40	
600	600	12	528	1801	168.00	2C6H600	226.80	720	2457	192.00	3C6H600	259.20	924	3153	216.00	4C6H600	291.60	
600	800	17	748	2552	238.00	2C6H800	321.30	1020	3480	272.00	3C6H800	367.20	1309	4466	306.00	4C6H800	413.10	
600	1000	21	924	3152	294.00	2C6H1000	396.90	1260	4299	336.00	3C6H1000	453.60	1617	5517	378.00	4C6H1000	510.30	
600	1200	25	1100	3753	350.00	2C6H1200	472.50	1500	5118	400.00	3C6H1200	540.00	1925	6568	450.00	4C6H1200	607.50	
600	1400	30	1320	4504	420.00	2C6H1400	567.00	1800	6142	480.00	3C6H1400	648.00	2310	7882	540.00	4C6H1400	729.00	
600	1600	35						2100	7165	560.00	3C6H1600	756.00	2695	9195	630.00	4C6H1600	850.50	
600	1800	39						2340	7984	624.00	3C6H1800	842.40	3003	10246	702.00	4C6H1800	947.70	
750	400	8	440	1501	144.00	2C7.5H400	194.40	600	2047	160.00	3C7.5H400	216.00	760	2593	176.00	4C7.5H400	237.60	
750	500	10	550	1876	180.00	2C7.5H500	243.00	750	2559	200.00	3C7.5H500	270.00	950	3241	220.00	4C7.5H500	297.00	
750	600	12	660	2251	216.00	2C7.5H600	291.60	900	3070	240.00	3C7.5H600	324.00	1140	3889	264.00	4C7.5H600	356.40	
750	800	17	935	3190	306.00	2C7.5H800	413.10	1275	4350	340.00	3C7.5H800	459.00	1615	5510	374.00	4C7.5H800	504.90	
750	1000	21	1155	3941	378.00	2C7.5H1000	510.30	1575	5374	420.00	3C7.5H1000	567.00	1995	6807	462.00	4C7.5H1000	623.70	
750	1200	25	1375	4692	450.00	2C7.5H1200	607.50	1875	6398	500.00	3C7.5H1200	675.00	2375	8104	550.00	4C7.5H1200	742.50	
750	1400	30						2250	7677	600.00	3C7.5H1400	810.00	2850	9724	660.00	4C7.5H1400	891.00	

ROMA INFORMATION

Price includes wall brackets CWB

EN442 Outputs ΔT50C

Correction factor to ΔT60C = 1.2675

For more technical info see www.apolloradiators.co.uk

Example RAL stock code RAL7024_2C3H1000

All prices subject to VAT




made in ITALY



SECTIONS	ABOVE WIDTHS NOMINAL										
	5	8	10	12	14	17	21	25	30	35	39
ACTUAL WIDTH(mm)	260	398	490	582	674	812	996	1180	1410	1640	1824

APOLLO standard colours



for more information see page 5

APOLLO roma with feet




- classic steel column radiator with fusion welding and welded feet
- very versatile in both modern and period settings
- ideal for most applications
- available in white (RAL 9016) within 3 days
- a range of colours are available within 20 days

BRONZE

roma steel column radiator with feet

freestanding modern steel column radiator
bottom side connections

SECTION
DEPTH 66 MM
WIDTH 46 MM



BACK WALL TO PIPE CENTRES 63 MM
BACK WALL TO FRONT OF RAD 96 MM

SECTION
DEPTH 107 MM
WIDTH 46 MM



BACK WALL TO PIPE CENTRES 84 MM
BACK WALL TO FRONT OF RAD 137 MM

HEIGHT (HT. WF)	WIDTH	SEC	WATT	BTU	PRICE WHITE (RAL 9016)	STOCK CODE	APOLLO STANDARD COLOURS	WATT	BTU	PRICE WHITE (RAL 9016)	STOCK CODE	APOLLO STANDARD COLOURS
ROMA WITH FEET												
2 COLUMN							3 COLUMN					
700	800	17						1020	3480	372.00	WF3C6H800	502.20
	1000	21	924	3153	394.00	WF2C6H1000	531.90	1260	4299	436.00	WF3C6H1000	588.60
	1200	25	1100	3753	450.00	WF2C6H1200	607.50	1500	5118	500.00	WF3C6H1200	675.00
	1400	30	1320	4504	520.00	WF2C6H1400	702.00	1800	6142	580.00	WF3C6H1400	783.00

SECTION
DEPTH 148 MM
WIDTH 46 MM



BACK WALL TO PIPE CENTRES 104MM
BACK WALL TO FRONT OF RAD 178 MM

SECTION
DEPTH 230 MM
WIDTH 46 MM



BACK WALL TO PIPE CENTRES 145 MM
BACK WALL TO FRONT OF RAD 260 MM

4 COLUMN							6 COLUMN					
400	1000	21	840	2866	478.00	WF4C3H1000	645.30	1197	4082	625.00	WF6C3H1000	843.75
	1200	25	1000	3412	550.00	WF4C3H1200	742.50	1425	4859	725.00	WF6C3H1200	978.75
	1400	30	1200	4094	640.00	WF4C3H1400	864.00	1710	5831	850.00	WF6C3H1400	1147.50
600	1000	21	1365	4657	478.00	WF4C5H1000	645.30	1974	6735	625.00	WF6C5H1000	843.75
	1200	25	1625	5545	550.00	WF4C5H1200	742.50	2350	8018	725.00	WF6C5H1200	978.75
	1400	30	1950	6653	640.00	WF4C5H1400	864.00	2820	9622	850.00	WF6C5H1400	1147.50
700	600	12	924	3153	316.00	WF4C6H600	426.60	1356	4624	400.00	WF6C6H600	540.00
	800	17	1309	4466	406.00	WF4C6H800	548.10	1921	6551	525.00	WF6C6H800	708.75
	1000	21	1617	5517	478.00	WF4C6H1000	645.30	2373	8092	625.00	WF6C6H1000	843.75
	1200	25	1925	6568	550.00	WF4C6H1200	742.50	2825	9633	725.00	WF6C6H1200	978.75
	1400	30	2310	7882	640.00	WF4C6H1400	864.00	3390	11567	850.00	WF6C6H1400	1147.50
	1600	35	2695	9195	730.00	WF4C6H1600	985.50					
1000	400	8	896	3055	300.00	WF4C9H400	405.00	1304	4447	380.00	WF6C9H400	513.00
	600	12	1344	4583	400.00	WF4C9H600	540.00	1956	6670	520.00	WF6C9H600	702.00
	800	17	1904	6493	508.00	WF4C9H800	685.80	2771	9449	695.00	WF6C9H800	938.25
	1000	21	2352	8021	628.00	WF4C9H1000	847.80	3423	11672	835.00	WF6C9H1000	1127.25
	1200	25	2800	9554	725.00	WF4C9H1200	978.75	4075	13904	975.00	WF6C9H1200	1316.25

ROMA INFORMATION

Welded feet included in height

Price includes wall brackets CWB

EN442 Outputs ΔT50C

Correction factor to ΔT60C = 1.2675

For more technical info see www.apolloradiators.co.uk

Example RAL stock code RAL7024_WF2C6H1000


All prices subject to VAT



	ABOVE WIDTHS NOMINAL						
Sections	8	12	17	21	25	30	35
Actual width(mm)	398	582	812	996	1180	1410	1640

APOLLO standard colours

for more information see page 5



roma bespoke steel column radiator

classic steel multi column radiator

HEIGHT	2 COL 2C	3 COL 3C	4 COL 4C	5 COL 5C	6 COL 6C
300 3H WATT	14.00 22	16.00 31	18.00 40	21.00 48	25.00 57
400 4H WATT	14.00 28	16.00 41	18.00 52	21.00 64	25.00 75
500 5H WATT	14.00 37	16.00 51	18.00 65	21.00 80	25.00 94
600 6H WATT	14.00 44	16.00 60	18.00 77	21.00 95	25.00 113
750 7.5H WATT	18.00 55	20.00 75	22.00 95	26.00 117	30.00 137
900 9H WATT	21.00 67	23.00 89	25.00 112	31.00 138	35.00 163
1000 10H WATT	23.00 73	25.00 98	27.00 124	33.00 151	37.00 180
1500 15H WATT	30.00 106	44.00 143	55.00 180	67.00 215	77.00 250
1800 18H WATT	33.00 125	48.00 170	58.00 214	70.00 256	80.00 297
2000 20H WATT	36.00 140	52.00 189	68.00 237	80.00 282	90.00 330
2200 22H WATT	46.00 155	62.00 212	78.00 275	90.00 320	100.00 382

ROMA BESPOKE DIMENSIONS					
SECTION DEPTH	66	107	148	189	230
SECTION WIDTH	46	46	46	46	46
PIPE CENTRES	63	84	104	125	145
WALL TO FRONT OF RAD	96	137	178	219	260

ROMA WITH FEET BESPOKE STEEL COLUMN RADIATOR			
DESCRIPTION	NO. COLUMNS	SECTIONS	WELDED FEET - SETS REQUIRED
SET OF TWO WELDED FEET	2,3,4	UP TO 24	2
		25 TO 36	3
STOCK CODE PRICE	WF	36 TO 45	4
		UP TO 14	2
	5,6	15 TO 25	3
		26 TO 36	4

ROMA BESPOKE INFORMATION
Actual width = (No. sections x 46 mm) + 30 mm

Please check the size required is not available from our stock ranges on pages 22-27

Lead time for delivery is up to 35 working days

Max length horizontal 45 sections up to 600mm high, other heights on application

For other bespoke sizes please check sizes are suitable for transport and wall fixing

No radiators larger than stocked sizes on pages 22-27 can be powder coated

Price includes wall brackets CWB

EN442 Outputs ΔT50C

Correction factor to ΔT60C = 1.2675

For more technical info see www.apolloradiators.co.uk

Example stock code 5C 10H 12S = 5 Column 1000 High 12 Section

BTU Conversion factor = 3.412


Powder coating plus 35%

All prices subject to VAT





APOLLO standard colours

for more information see page 5



roma accessories



ROMA ACCESSORIES		
	STOCK CODE	PRICE (RAL 9016)
FLOOR BRACKETS		
SET OF TWO HEAVY PATTERN VICTORIAN FLOOR SUPPORTS (ADD 100 MM TO HEIGHT)	HPVFS	55.00
SET OF TWO CONTEMPORARY FLOOR BRACKETS 3 COLUMN (ADD 100 MM TO HEIGHT)	FBC3C	55.00
SET OF TWO CONTEMPORARY FLOOR BRACKETS 4 COLUMN (ADD 100 MM TO HEIGHT)	FBC4C	55.00
SET OF TWO FLOOR BRACKETS-WHITE-ADJUSTABLE C/W FOOT COVER (ADD 125-175 MM TO HEIGHT)	FB	55.00
WALL BRACKETS		
SET OF TWO CONCEALED WALL BRACKETS C/W BOTTOM CLIPS	CWB	25.00
SET OF TWO WALL BRACKETS-WHITE-CRADLE TYPE C/W BOTTOM SPACERS	WBC	25.00
SET OF TWO WALL BRACKETS-WHITE-CLAMP TYPE C/W BOTTOM SPACERS	WB	25.00

BRACKETS REQUIRED	
200, 250, 300, 400, 500, 600, 800, 1000	2
1200, 1400	3
1600, 1800	4

ROMA BRACKET INFORMATION
Brackets are sold as sets of two.
Table above indicates quantity of actual brackets required (not sets).
HPVFS suitable for powder coating plus 35%

roma towel hanging accessories



STH



CTH



RTH

ROMA TOWEL HANGING ACCESSORIES		
DESCRIPTION	STOCK CODE	PRICE
STRAIGHT TOWEL HOLDER (for rad 500mm wide and over)	STH	38.00
CIRCULAR TOWEL HOLDER	CTH	38.00
ROBE OR TOWEL HOLDER - SET OF TWO	RTH	24.00

APOLLO ferrara



- natural stainless finish - brushed, not coated, flat panelled radiator
- very versatile, can be mounted either vertically or horizontally
- ideal for the more modern setting
- far more substantial, rigid and robust than other similar products on the market
- available in brushed finish within 3 days
- for ferrara glass and stone fronted radiators see www.apolloradiators.co.uk



ferrara stainless steel designer radiator

brushed stainless steel contemporary design, also available with glass and stone front panels
vertical side entry - horizontal bottom entry - load bearing wall required

SIZE		SECTIONS	OUTPUT		STOCK CODE	PRICE
HEIGHT	WIDTH		WATT	BTU		
FERRARA						
1000	300	5	659	2249	F10SS5S	450.00
1000	400	7	923	3149	F10SS7S	550.00
1000	500	9	1186	4047	F10SS9S	650.00
1200	300	5	755	2576	F12SS5S	550.00
1200	400	7	1058	3610	F12SS7S	650.00
1200	500	9	1359	4637	F12SS9S	750.00
1400	300	5	858	2929	F14SS5S	650.00
1400	400	7	1201	4098	F14SS7S	750.00
1400	500	9	1543	5267	F14SS9S	850.00
1800	300	5	1090	3721	F18SS5S	750.00
1800	400	7	1526	5206	F18SS7S	850.00
1800	500	9	1961	6692	F18SS9S	950.00
2000	300	5	1199	4091	F20SS5S	850.00
2000	400	7	1679	5729	F20SS7S	950.00
2000	500	9	2157	7360	F20SS9S	1050.00

DIMENSIONS - VERTICAL

Size nominal: Actual width = (No. sections x 60mm) - 10mm

	BOTTOM ENTRY	SIDE ENTRY
Back wall to front of rad	70mm	70mm
Back wall to pipe centres	55mm	25mm
Distance between tappings	(No. sections x 60mm) - 60mm	(No. sections x 60mm) - 10mm

DIMENSIONS - HORIZONTAL

Size nominal: Actual height = (No. sections x 60mm) - 10mm

	BOTTOM ENTRY	SIDE ENTRY
Back wall to front of rad	70mm	N/A
Back wall to pipe centres	25mm	Not recommended
Distance between tappings	Width of rad less 70mm	N/A

FERRARA INFORMATION

EN442 Outputs $\Delta T50C$

Correction factor to $\Delta T60C = 1.2675$

For more technical info see www.apolloradiators.co.uk

All prices subject to VAT



complementary products



ferrara glass



ferrara glass wave



ferrara stone



garda



genova offset



genova wave

see www.apolloradiators.co.uk

compatible valves: for more information see page 82



LCTRV15A



LCTRV15S



CCVC



TFPK

APOLLO bassano vertical round

- contemporary modern half and quarter round vertical designer radiators
- suitable for flat walls, bulkheads or corners in modern living areas
- available in white (RAL 9016) within 3 days
- available in a range of colours within 20 days



GREY/TEK/NET

bassano vertical round

modern contemporary designer rectangular tubed range of radiators

bottom connections only

load bearing wall required

SIZE		TUBES	OUTPUT		PRICE WHITE (RAL 9016)	STOCK CODE	APOLLO STANDARD COLOURS
HEIGHT	WIDTH		WATT	BTU			
BASSANO VERTICAL HALF ROUND							
1800	395	16	1610	5493	695.00	BAVHR18H395	938.25
1800	475	20	2094	7145	855.00	BAVHR18H475	1154.25
BASSANO VERTICAL QUARTER ROUND							
1400	325	10	857	2924	480.00	BAVQR14H325	648.00
1800	325	10	1071	3654	595.00	BAVQR18H325	803.25

DIMENSIONS - HALF ROUND

Size nominal: Actual width = (No. tubes x 20mm) + 73mm

Back wall to front of rad	215/255mm
Back wall to pipe centres	65mm
Distance between tappings	250/330mm

DIMENSIONS - QUARTER ROUND

Size nominal: Actual width = (No. tubes x 27mm) + 52mm

Back wall to front of rad	255mm
Back wall to pipe centres	58mm
Distance between tappings	170mm

BASSANO INFORMATION

EN442 Outputs $\Delta T50C$

Correction factor to $\Delta T60C = 1.2675$

For more technical info see www.apolloradiators.co.uk

Example RAL stock code RAL7024_BAVHR18H325

All prices subject to VAT



made in
BELGIUM



complementary products



bassano anthracite



bassano vertical



bassano horizontal



bassano low level



pavia



venezia

compatible valves: for more information see page 82



LWV15A



LCV15A



LCV15S



LCTRV15A




CCVC



TFPK

APOLLO standard colours

for more information see page 5



APOLLO bassano vertical

- contemporary vertical designer radiators suitable for modern living areas
- high output double radiators available (see image below)
- available in white (RAL 9016) within 3 days
- available in a range of colours within 20 days



RAL 7016

bassano vertical

modern contemporary designer rectangular tubed range of radiators

bottom connections only

load bearing wall required

SIZE		TUBES	OUTPUT		PRICE WHITE (RAL 9016)	STOCK CODE	APOLLO STANDARD COLOURS
HEIGHT	WIDTH		WATT	BTU			
BASSANO VERTICAL SINGLE							
1800	300	8	859	2931	360.00	BAVS18H300	486.00
1800	465	12	1289	4398	510.00	BAVS18H465	688.50
1800	625	16	1719	5865	660.00	BAVS18H625	891.00
BASSANO VERTICAL DOUBLE							
1800	300	8	1379	4705	700.00	BAVD18H300	945.00
1800	465	12	2068	7056	990.00	BAVD18H465	1336.50
1800	625	16	2758	9410	1280.00	BAVD18H625	1728.00

DIMENSIONS - SINGLE

Size nominal: Actual width = (No. tubes x 40mm) - 16mm

Back wall to front of rad	118mm
Back wall to pipe centres	54mm
Distance between tappings	(No. tubes x 40mm) - 80mm

DIMENSIONS - DOUBLE

Size nominal: Actual width = (No. tubes x 40mm) - 16mm

Back wall to front of rad	166mm
Back wall to pipe centres	103mm
Distance between tappings	(No. tubes x 40mm) - 80mm

BASSANO INFORMATION

EN442 Outputs $\Delta T50C$

Correction factor to $\Delta T60C = 1.2675$

For more technical info see www.apolloradiators.co.uk

Example RAL stock code RAL7024_BAVS18H300

All prices subject to VAT



complementary products



bassano anthracite



bassano vertical round



bassano horizontal



bassano low level



pavia



venezia

compatible valves: for more information see page 82



LWV15A



LCV15A



LCV15S



LCTRV15A




CCVC



TFPK

APOLLO standard colours



APOLLO **bassano** horizontal

- contemporary horizontal designer radiators suitable for modern living areas
- high output double radiators available (see image below)
- available in white (RAL 9016) within 3 days
- available in a range of colours within 20 days



BROWN TEX MET

bassano horizontal

modern contemporary designer rectangular tubed range of radiators

bottom connections only

load bearing wall required

SIZE		TUBES	OUTPUT		PRICE WHITE (RAL 9016)	STOCK CODE	APOLLO STANDARD COLOURS
HEIGHT	WIDTH		WATT	BTU			
BASSANO HORIZONTAL SINGLE							
600	800	20	809	2760	410.00	BAHS6H800	553.50
600	1000	26	1052	3589	510.00	BAHS6H1000	688.50
600	1200	30	1214	4142	580.00	BAHS6H1200	783.00
600	1400	36	1457	4971	690.00	BAHS6H1400	931.50
600	1600	40	1618	5521	790.00	BAHS6H1600	1066.50
600	1800	44	1780	6073	890.00	BAHS6H1800	1201.50
BASSANO HORIZONTAL DOUBLE							
600	1000	26	1741	5940	995.00	BAHD6H1000	1343.25
600	1200	30	2009	6855	1130.00	BAHD6H1200	1525.50
600	1400	36	2411	8226	1330.00	BAHD6H1400	1795.50

DIMENSIONS - SINGLE

Size nominal: Actual width = (No. tubes x 40mm) - 16mm

Back wall to front of rad 118mm
 Back wall to pipe centres 54mm
 Distance between tappings (No. tubes x 40mm) - 80mm

DIMENSIONS - DOUBLE

Size nominal: Actual width = (No. tubes x 40mm) - 16mm

Back wall to front of rad 166mm
 Back wall to pipe centres 103mm
 Distance between tappings (No. tubes x 40mm) - 80mm

BASSANO INFORMATION

EN442 Outputs ΔT50C

Correction factor to ΔT60C = 1.2675

Example RAL stock code RAL7024_BAHS6H800

All prices subject to VAT



complementary products



bassano anthracite



bassano vertical round



bassano vertical



bassano low level



pavia



venezia

compatible valves: for more information see page 82



LWV15A



LCV15A



LCV15S



LCTRV15A




CCVC



TFPK

APOLLO standard colours



for more information see page 5

APOLLO bassano low level



bassano low level

freestanding modern contemporary designer rectangular tubed range of radiators
bottom inside leg connections

SIZE		TUBES	OUTPUT		PRICE WHITE (RAL 9016)	STOCK CODE	APOLLO STANDARD COLOURS
HEIGHT	WIDTH		WATT	BTU			
BASSANO LOW LEVEL							
255	1000	4	462	1576	350.00	BALL2H1000	472.50
255	1200	4	554	1890	400.00	BALL2H1200	540.00
255	1400	4	647	2208	450.00	BALL2H1400	607.50
255	1600	4	739	2521	500.00	BALL2H1600	675.00
255	1800	4	832	2839	550.00	BALL2H1800	742.50
255	2000	4	924	3153	600.00	BALL2H2000	810.00

DIMENSIONS - LOW LEVEL

Size is Actual

Back wall to front of rad	140mm min.
Back wall to pipe centres	75mm min.
Distance between tappings	Width of rad less 73mm
Floor to tappings centre	82mm

BASSANO INFORMATION

EN442 Outputs $\Delta T50C$

Correction factor to $\Delta T60C = 1.2675$

For more technical info see www.apolloradiators.co.uk

Example RAL stock code RAL7024_BALL2H1000

All prices subject to VAT



complementary products



bassano anthracite



bassano vertical round



bassano vertical



bassano horizontal



pavia



venezia

compatible valves: for more information see page 82



LWV15A



LCV15A



LCV15S



LCTRV15A




CCVC



TFPK

APOLLO standard colours

for more information see page 5



APOLLO bassano anthracite

- contemporary vertical designer radiators suitable for modern living areas
- available in anthracite (RAL 7016) within 3 days



RAL 7016

bassano anthracite

modern contemporary designer rectangular tubed range of radiators

bottom connections only

load bearing wall required

SIZE		TUBES	OUTPUT		STOCK CODE	PRICE ANTHRACITE
HEIGHT	WIDTH		WATT	BTU		
BASSANO VERTICAL HALF ROUND						
1800	475	20	2094	7145	BAVHR18H475_ANT	855.00
BASSANO VERTICAL QUARTER ROUND						
1800	325	10	1071	3654	BAVQR18H325_ANT	595.00
BASSANO VERTICAL						
1800	300	8	859	2931	BAVS18H300_ANT	360.00
1800	465	12	1289	4398	BAVS18H465_ANT	510.00
1800	625	16	1719	5865	BAVS18H625_ANT	660.00
BASSANO HORIZONTAL						
600	800	20	809	2760	BAHS6H800_ANT	410.00
600	1000	26	1052	3589	BAHS6H1000_ANT	510.00
600	1200	30	1214	4142	BAHS6H1200_ANT	580.00
600	1400	36	1457	4971	BAHS6H1400_ANT	690.00
BASSANO LOW LEVEL						
255	1400	4	647	2208	BALL2H1400_ANT	450.00



BASSANO ANTHRACITE INFORMATION

See each range for dimensions

EN442 Outputs $\Delta T50C$

Correction factor to $\Delta T60C = 1.2675$

For more technical info see www.apolloradiators.co.uk

All prices subject to VAT

Available in:



RAL 7016
Anthracite grey
gloss

complementary products



bassano
vertical
round



bassano
vertical



bassano
horizontal



bassano
low level

compatible valves: for more information see page 82



LWV15A



LCV15A



LCV15S



LCTRV15A



CCVC



TFPK

APOLLO capri



- flat panelled radiator
- ideal for the more modern setting
- available in white (RAL 9016) or chrome within 3 days
- available in a range of colours within 20 days



capri radiator

modern flat tubed designer radiator
vertical side entry
horizontal bottom entry
load bearing wall required

SIZE		SECTIONS	OUTPUT		PRICE WHITE (RAL 9016) & CHROME	STOCK CODE	APOLLO STANDARD COLOURS
HEIGHT	WIDTH		WATT	BTU			
CAPRI SINGLE WHITE							
1800	300	4	548	1870	250.00	LSW18H4S	337.50
1800	450	6	876	2989	300.00	LSW18H6S	405.00
1800	600	8	1168	3985	350.00	LSW18H8S	472.50
CAPRI SINGLE CHROME							
1800	300	4	507	1729	400.00	LC18H4S	N/A
1800	450	6	760	2594	500.00	LC18H6S	N/A
1800	600	8	1013	3457	600.00	LC18H8S	N/A
CAPRI DOUBLE WHITE							
1000	300	4	596	2034	300.00	LDW10H4S	405.00
1000	450	6	894	3050	400.00	LDW10H6S	540.00
1000	600	8	1192	4067	500.00	LDW10H8S	675.00
1200	300	4	704	2402	350.00	LDW12H4S	472.50
1200	450	6	1056	3603	450.00	LDW12H6S	607.50
1200	600	8	1408	4804	550.00	LDW12H8S	742.50
1400	300	4	824	2811	400.00	LDW14H4S	540.00
1400	450	6	1242	4238	500.00	LDW14H6S	675.00
1400	600	8	1656	5650	600.00	LDW14H8S	810.00
1800	300	4	1052	3589	450.00	LDW18H4S	607.50
1800	450	6	1470	5384	550.00	LDW18H6S	742.50
1800	600	8	2104	7179	650.00	LDW18H8S	877.50

DIMENSIONS - VERTICAL

Size nominal: Actual width = (No. sections x 75mm) + 5mm

	SINGLE	DOUBLE
Back wall to front of rad	95mm	95mm
Back wall to pipe centres	55mm	55mm
Distance between tappings	(No. sections x 75mm) + 5mm	(No. sections x 75mm) + 5mm

DIMENSIONS - HORIZONTAL

Size nominal: Actual height = (No. sections x 75mm) + 5mm

	SINGLE	DOUBLE
Back wall to front of rad	55mm	95mm
Back wall to pipe centres	25mm	65mm
Distance between tappings	Width of rad less 70mm	Width of rad less 70mm

Please specify if mounting horizontally, a different bracket set is required.

CAPRI INFORMATION

EN442 Outputs ΔT50C

Correction factor to ΔT60C = 1.2675

For more technical info see www.apolloradiators.co.uk

Example RAL stock code RAL7024_LSW18H4S


Can be mounted vertical or horizontal

All prices subject to VAT



APOLLO standard colours

for more information see page 5



APOLLO capri mirror

- hand finished high quality flat panelled radiator with integral mirror
- highly polished chrome plate
- ideal for the more modern setting
- available in chrome within 3 days



capri radiator with mirror

modern flat tubed radiator
 bottom connections only
 load bearing wall required

SIZE		SECTIONS	OUTPUT		STOCK CODE	PRICE
HEIGHT	WIDTH		WATT	BTU		
CAPRI WITH MIRROR						
1800	600	4	507	1729	EC18H4S	600.00
1800	750	6	760	2594	EC18H6S	700.00

DIMENSIONS - VERTICAL

Size nominal: Actual width = (No. sections x 75mm) + 305mm

Back wall to front of rad	95mm
Back wall to pipe centres	55mm
Distance between tapings	(No. sections x 75mm) + 305mm

CAPRI INFORMATION

EN442 Outputs $\Delta T50C$

Correction factor to $\Delta T60C = 1.2675$

For more technical info see www.apolloradiators.co.uk

All prices subject to VAT



complementary products



palermo



garda



venezia

compatible valves: for more information see page 82



LCV15A



LCTRV15A



CCVC



TFPK

APOLLO milano vertical



- minimalist design with a smooth steel front
- suitable for the more modern settings, in living rooms, dining rooms and kitchens. Also ideal for narrow wall spaces (e.g. either side of patio doors/bay windows)
- ultra slim double panel radiator
- available in white (RAL 9016) within 3 days



LCTR15S



milano vertical flat panel contemporary radiator

bottom connections only

load bearing wall required

SIZE		OUTPUT		STOCK CODE	PRICE (RAL 9016)
HEIGHT	WIDTH	WATT	BTU		
MILANO VERTICAL					
1400	300	702	2395	VP14H300	400.00
1400	400	936	3194	VP14H400	450.00
1400	500	1170	3992	VP14H500	500.00
1400	600	1403	4787	VP14H600	550.00
1800	300	871	2972	VP18H300	500.00
1800	400	1161	3961	VP18H400	550.00
1800	500	1452	4954	VP18H500	600.00
1800	600	1742	5944	VP18H600	650.00

DIMENSIONS - VERTICAL

Back wall to front of rad	85mm
Back wall to pipe centres	55mm
Depth of rad	63mm
Distance between pipe centres	Width of rad less 50mm

MILANO VERTICAL INFORMATION

EN442 Outputs $\Delta T50C$

Correction factor to $\Delta T60C = 1.2675$

For more technical info see www.apolloradiators.co.uk

All prices subject to VAT



complementary products



milano horizontal



milano slimline



milano deep



pavia



venezia

compatible valves: for more information see page 82



LCV15A



LCTRV15A



LCV15S



LCTRV15S



CCVC



TFPK

APOLLO milano horizontal



LCTR15A

- minimalist design with a smooth steel front
- very versatile, ideal for the more modern settings
- available in white (RAL 9016) within 3 days

milano horizontal flat panel contemporary radiator

double panel single convector radiator
side connections

SIZE		OUTPUT		STOCK CODE	PRICE (RAL 9016)
HEIGHT	WIDTH	WATT	BTU		
MILANO HORIZONTAL					
300	400	298	1017	HP3H400	120.00
300	800	595	2030	HP3H800	240.00
300	1200	893	3047	HP3H1200	360.00
400	800	766	2614	HP4H800	240.00
400	1000	957	3265	HP4H1000	300.00
400	1200	1148	3917	HP4H1200	360.00
500	600	702	2395	HP5H600	210.00
500	800	936	3194	HP5H800	280.00
500	1000	1170	3992	HP5H1000	350.00
500	1200	1404	4790	HP5H1200	420.00
500	1400	1638	5589	HP5H1400	500.00
600	600	819	2794	HP6H600	240.00
600	800	1092	3726	HP6H800	320.00
600	1000	1365	4657	HP6H1000	400.00
600	1200	1638	5589	HP6H1200	480.00
600	1400	1911	6520	HP6H1400	560.00
600	1600	2184	7452	HP6H1600	640.00
900	400	758	2586	HP9H400	325.00
900	500	948	3235	HP9H500	400.00
900	600	1138	3883	HP9H600	475.00

DIMENSIONS - HORIZONTAL

Back wall to front of rad	100mm
Back wall to pipe centres	59mm
Depth of rad	78mm

MILANO HORIZONTAL INFORMATION

EN442 Outputs $\Delta T50C$

Correction factor to $\Delta T60C = 1.2675$

For more technical info see www.apolloradiators.co.uk

All prices subject to VAT



complementary products



milano vertical



milano slimline



milano deep



pavia



venezia

compatible valves: for more information see page 82



LCV15A



LCTR15A



LCV15S



LCTR15S



CCVC



TFPK

milano slimline horizontal flat panel contemporary radiator

slimline single panel single convector radiator
side connections

SIZE		OUTPUT		STOCK CODE	PRICE (RAL 9016)
HEIGHT	WIDTH	WATT	BTU		
MILANO SLIMLINE HORIZONTAL					
300	1200	594	2025	SHP3H1200	200.00
400	1200	784	2675	SHP4H1200	225.00
500	1200	968	3303	SHP5H1200	250.00
600	800	760	2593	SHP6H800	240.00
600	1000	950	3243	SHP6H1000	300.00
600	1200	1141	3892	SHP6H1200	360.00

DIMENSIONS - SLIMLINE HORIZONTAL

Back wall to front of rad	73mm
Back wall to pipe centres	40mm
Depth of rad	51mm


MILANO SLIMLINE HORIZONTAL INFORMATION

EN442 Outputs $\Delta T50C$

Correction factor to $\Delta T60C = 1.2675$

For more technical info see www.apolloradiators.co.uk

All prices subject to VAT



complementary products



milano vertical



milano horizontal



milano deep



pavia



venezia

compatible valves: for more information see page 82



LCV15A



LCTRV15A



LCTRV15S



CCVC



TFPK

milano deep horizontal flat panel contemporary radiator

deep double panel double convector radiator
side connections

SIZE		OUTPUT		STOCK CODE	PRICE (RAL 9016)
HEIGHT	WIDTH	WATT	BTU		
MILANO DEEP HORIZONTAL					
600	1000	1776	6060	DHP6H1000	500.00
600	1200	2131	7272	DHP6H1200	600.00
600	1400	2486	8484	DHP6H1400	700.00
600	1600	2842	9696	DHP6H1600	800.00
900	400	970	3309	DHP9H400	400.00
900	500	1212	4135	DHP9H500	500.00
900	600	1454	4961	DHP9H600	600.00

DIMENSIONS - DEEP HORIZONTAL

Back wall to front of rad	132mm
Back wall to pipe centres	75mm
Depth of rad	110mm

MILANO DEEP HORIZONTAL INFORMATION

EN442 Outputs $\Delta T50C$

Correction factor to $\Delta T60C = 1.2675$

For more technical info see www.apolloradiators.co.uk

All prices subject to VAT



complementary products



milano vertical



milano horizontal



milano slimline



pavia



venezia

compatible valves: for more information see page 82



LCV15A



LCTR15A



LCTR15S



CCVC



TFPK

APOLLO rimini



- very versatile, can be mounted either vertically or horizontally
- slim, sleek 16mm tubes
- available in three designs
- single, double or wave
- ideal for most settings
- available in white (RAL 9016) and chrome within 3 days
- a range of colours are available to order within 20 days (vertical only)



rimini straight tube on tube designer radiator

vertical side entry

horizontal bottom entry

SIZE		TUBES	OUTPUT		PRICE (RAL 9016)	STOCK CODE	APOLLO STANDARD COLOURS
HEIGHT	WIDTH		WATT	BTU			
RIMINI SINGLE WHITE							
1800	300	10	614	2095	250.00	RSW18H10T	337.50
1800	400	14	860	2934	300.00	RSW18H14T	405.00
1800	500	18	1105	3770	350.00	RSW18H18T	472.50
RIMINI SINGLE CHROME							
1800	300	10	491	1675	400.00	RSC18H10T	N/A
1800	400	14	688	2347	550.00	RSC18H14T	N/A
1800	500	18	884	3016	700.00	RSC18H18T	N/A
RIMINI DOUBLE WHITE							
1000	400	14	776	2648	250.00	RDW10H14T	337.50
1000	500	18	998	3405	300.00	RDW10H18T	405.00
1000	600	22	1220	4163	400.00	RDW10H22T	540.00
1200	300	10	661	2255	300.00	RDW12H10T	405.00
1200	400	14	925	3156	350.00	RDW12H14T	472.50
1200	500	18	1190	4060	450.00	RDW12H18T	607.50
1200	600	22	1454	4961	550.00	RDW12H22T	742.50
1400	300	10	766	2614	350.00	RDW14H10T	472.50
1400	400	14	1072	3658	400.00	RDW14H14T	540.00
1400	500	18	1378	4702	500.00	RDW14H18T	675.00
1400	600	22	1684	5746	600.00	RDW14H22T	810.00
1800	300	10	951	3245	350.00	RDW18H10T	472.50
1800	400	14	1331	4541	450.00	RDW18H14T	607.50
1800	500	18	1712	5841	550.00	RDW18H18T	742.50
1800	600	22	2092	7138	650.00	RDW18H22T	877.50

DIMENSIONS - VERTICAL

Size nominal: Actual width = (No. tubes x 28mm)

	SINGLE	DOUBLE
Back wall to front of rad	86mm	86mm
Back wall to pipe centres	55mm	55mm
Distance between tappings	(No. tubes x 28mm)	(No. tubes x 28mm)

DIMENSIONS - HORIZONTAL

Size nominal: Actual height = (No. tubes x 28mm)

	SINGLE	DOUBLE
Back wall to front of rad	101mm	121mm
Back wall to pipe centres	70mm	81mm
Distance between tappings	Width of rad less 50mm	Width of rad less 50mm

The rimini radiator can also be mounted horizontally, in white or chrome not colours.
Please specify as a different bracket set is required.

RIMINI INFORMATION

EN442 Outputs $\Delta T50C$

Correction factor to $\Delta T60C = 1.2675$

For more technical info see www.apolloradiators.co.uk

Example RAL stock code RAL7024_RSW18H10T

All prices subject to VAT



APOLLO rimini wave



RAL 9016

- very versatile, can be mounted either vertically or horizontally
- slim, sleek 16mm tubes
- ideal for most settings
- available in white (RAL 9016) and chrome within 3 days
- a range of colours are available to order within 20 days (vertical only)

rimini wave tube on tube designer radiator

vertical side entry
horizontal bottom entry

SIZE		TUBES	OUTPUT		PRICE (RAL 9016)	STOCK CODE	APOLLO STANDARD COLOURS
HEIGHT	WIDTH		WATT	BTU			
RIMINI SINGLE WHITE							
1800	300	10	614	2095	375.00	RWW18H10T	506.25
1800	500	18	1105	3770	525.00	RWW18H18T	708.75
RIMINI SINGLE CHROME							
1800	300	10	491	1675	600.00	RWC18H10T	N/A
1800	400	14	688	2347	775.00	RWC18H14T	N/A
1800	500	18	884	3016	1050.00	RWC18H18T	N/A

DIMENSIONS - VERTICAL

Size nominal: Actual width = (No. tubes x 28mm)

Back wall to front of rad 125mm max.
Back wall to pipe centres 55mm
Distance between tappings (No. tubes x 28mm)

DIMENSIONS - HORIZONTAL

Size nominal: Actual height = (No. tubes x 28mm)

Back wall to front of rad 110mm max.
Back wall to pipe centres 70mm
Distance between tappings Width of rad less 50mm

The rimini radiator can also be mounted horizontally, in white or chrome not colours. Please specify as a different bracket set is required.

RIMINI INFORMATION

EN442 Outputs $\Delta T50C$

Correction factor to $\Delta T60C = 1.2675$

For more technical info see www.apolloradiators.co.uk

Example RAL stock code RAL7024_RWW18H10T

All prices subject to VAT



complementary products



pavia



venezia

compatible valves: for more information see page 82



LWV15A



LCV15A



LCV15S



LCTRV15A




CCVC



TFPK

APOLLO standard colours

for more information see page 5



APOLLO firenze




- period style cast iron radiator in a wide range of sizes
- ideal for period settings, suitable for most applications
- available in primer within 5 days
- colours available within 20 days



firenze victorian cast iron radiator

cast iron section radiators victorian style - 4 and 6 column design
 traditional cast iron school style column radiator
 load bearing wall required



MODEL	V6-45	V4-60	V6-60	V6-68	V4-75
HEIGHT mm	450	600	600	680	750
No. of COLUMNS	6	4	6	6	4
WATT	103	94	137	156	112
BTU	351	321	467	532	382
SECTION DEPTH mm	225	146	225	225	146
SECTION WIDTH mm	60	60	60	60	60
PRICE PRIMER	38.00	28.00	40.00	45.00	30.00
PRICE APOLLO STANDARD COLOURS	57.00	42.00	60.00	67.50	45.00

FIRENZE PRODUCT

All details are per section
 Floor supports add 65mm to the height of all radiators
 Actual width = (No. sections x 60mm) + 30mm
 Price includes gaskets, 3 reducing bushes, plug and brass air vent per radiator
 Price includes floor supports and top stays
 Over 10 sections you will need a joining key and handle
 Delivered pre-assembled up to 10 sections

ADDITIONAL INFORMATION


The installer is responsible for all joints, and should be experienced with traditional cast iron radiators
 This product is a sectional radiator and not factory tested
 If a welded, pressure tested column radiator is required see Monza (pages 22-25) or Roma (pages 26-33)

FIRENZE INFORMATION

EN442 Outputs $\Delta T50C$
 Correction factor to $\Delta T60C = 1.2675$
 For more technical info see www.apolloradiators.co.uk
 Example stock code V6-68 20S RAL1021_V6-68 15S
 All prices subject to VAT



complementary products



ravenna

ravenna plus

compatible valves: for more information see page 82



TV15


VV15

LBTRV

LX15A

APOLLO standard colours

for more information see page 5



APOLLO napoli



1500H

- value rails in a wide range of sizes
- ideal for any bathroom setting or cloakrooms
- available straight or curved in a choice of white (RAL 9016) or chrome
- available within 3 days
- also available as dual fuel or sealed electric



1100H

700H



LCV15A

napoli towel radiator

ladder style multirail in a wide range of sizes

SIZE		STOCK CODE WHITE	OUTPUT		PRICE WHITE (RAL 9016)	STOCK CODE CHROME	OUTPUT		PRICE CHROME
WIDTH	HEIGHT		WATT	BTU			WATT	BTU	
NAPOLI STRAIGHT									
300	1100					ASC3W1100	262	896	116.50
450	700	ASW4.5W700	300	1025	58.00	ASC4.5W700	264	901	83.00
450	1100	ASW4.5W1100	470	1604	75.00	ASC4.5W1100	413	1410	116.50
450	1500	ASW4.5W1500	641	2188	108.00	ASC4.5W1500	564	1924	175.00
500	700	ASW5W700	333	1136	62.50	ASC5W700	292	998	87.50
500	800					ASC5W800	334	1141	91.50
500	1100	ASW5W1100	522	1782	79.00	ASC5W1100	459	1569	120.50
500	1200					ASC5W1200	500	1706	125.00
500	1500	ASW5W1500	711	2428	116.50	ASC5W1500	626	2137	183.00
500	1700	ASW5W1700	806	2751	141.50	ASC5W1700	709	2420	216.50
600	700	ASW6W700	402	1372	66.50	ASC6W700	354	1208	91.50
600	1100	ASW6W1100	628	2142	83.00	ASC6W1100	552	1884	125.00
600	1500	ASW6W1500	852	2907	125.00	ASC6W1500	749	2557	191.50
600	1700	ASW6W1700	966	3297	150.00	ASC6W1700	850	2902	225.00

DIMENSIONS - NAPOLI STRAIGHT

Back wall to front of rad 85mm
 Back wall to pipe centres 65mm
 Distance between pipe centres Width less 45mm

DIMENSIONS - NAPOLI CURVED

Back wall to front of rad 450W 95mm, 500W 100mm, 600W 110mm
 Back wall to pipe centres 60mm
 Distance between pipe centres Width less 45mm

SIZE		STOCK CODE WHITE	OUTPUT		PRICE WHITE (RAL 9016)	STOCK CODE CHROME	OUTPUT		PRICE CHROME
WIDTH	HEIGHT		WATT	BTU			WATT	BTU	
NAPOLI CURVED									
450	700	ACW4.5W700	300	1025	75.00	ACC4.5W700	264	901	100.00
450	1100	ACW4.5W1100	470	1604	91.50	ACC4.5W1100	413	1410	133.00
450	1500	ACW4.5W1500	641	2188	125.00	ACC4.5W1500	564	1924	200.00
500	700	ACW5W700	333	1136	79.00	ACC5W700	292	998	104.00
500	800	ACC5W800	334	1141	108.00				
500	1100	ACW5W1100	522	1782	95.50	ACC5W1100	459	1569	137.50
500	1200					ACC5W1200	500	1706	141.50
500	1500	ACW5W1500	711	2428	133.00	ACC5W1500	626	2137	208.00
500	1700	ACW5W1700	806	2751	158.00	ACC5W1700	709	2420	241.50
600	700	ACW6W700	402	1372	83.00	ACC6W700	354	1208	108.00
600	1100	ACW6W1100	628	2142	100.00	ACC6W1100	552	1884	141.50
600	1500	ACW6W1500	852	2907	141.50	ACC6W1500	749	2557	216.50
600	1700	ACW6W1700	966	3297	166.50	ACC6W1700	850	2902	250.00

NAPOLI INFORMATION

EN442 Outputs $\Delta T50C$

Correction factor to $\Delta T60C = 1.2675$

For more technical info see www.apolloradiators.co.uk

All prices subject to VAT



compatible valves: for more information see page 82



LCV15S



LCTRV15A



LCTRV15S



CCVC



TFPK

dual fuel option: for more information see page 84



TEHE

APOLLO napoli sealed electric

- electric only rails in a wide range of sizes
- ideal for any bathroom setting, or cloakrooms
- ideal in a space where it is difficult to connect directly to the central heating system
- available straight or curved in a choice of white (RAL 9016) or chrome
- available within 3 days



1500H



1100H



700H



napoli sealed electric towel radiator

ladder style multirail in a wide range of sizes

SIZE		STOCK CODE WHITE	OUTPUT WATT	PRICE WHITE (RAL 9016)	STOCK CODE CHROME	OUTPUT WATT	PRICE CHROME
WIDTH	HEIGHT						
NAPOLI STRAIGHT							
300	1100				EASC3W1100	200	254.00
450	700	EASW4.5W700	200	184.00	EASC4.5W700	200	214.00
450	1100	EASW4.5W1100	300	204.00	EASC4.5W1100	200	254.00
450	1500	EASW4.5W1500	450	264.00	EASC4.5W1500	300	344.00
500	700	EASW5W700	200	189.00	EASC5W700	200	219.00
500	800				EASC5W800	200	224.00
500	1100	EASW5W1100	300	209.00	EASC5W1100	300	259.00
500	1200				EASC5W1200	300	264.00
500	1500	EASW5W1500	450	274.00	EASC5W1500	450	354.00
500	1700	EASW5W1700	450	324.00	EASC5W1700	450	414.00
600	700	EASW6W700	200	194.00	EASC6W700	200	224.00
600	1100	EASW6W1100	300	214.00	EASC6W1100	300	264.00
600	1500	EASW6W1500	450	284.00	EASC6W1500	450	364.00
600	1700	EASW6W1700	600	334.00	EASC6W1700	600	424.00

DIMENSIONS - NAPOLI STRAIGHT

Back wall to front of rad 80mm

DIMENSIONS - NAPOLI CURVED

Back wall to front of rad 450W 95mm, 500W 100mm, 600W 10mm

SIZE		STOCK CODE WHITE	OUTPUT WATT	PRICE WHITE (RAL 9016)	STOCK CODE CHROME	OUTPUT WATT	PRICE CHROME
WIDTH	HEIGHT						
NAPOLI CURVED							
450	700	EACW4.5W700	200	204.00	EACC4.5W700	200	234.00
450	1100	EACW4.5W1100	300	224.00	EACC4.5W1100	200	274.00
450	1500	EACW4.5W1500	450	284.00	EACC4.5W1500	300	374.00
500	700	EACW5W700	200	209.00	EACC5W700	200	239.00
500	800				EACC5W800	200	244.00
500	1100	EACW5W1100	300	229.00	EACC5W1100	300	279.00
500	1200				EACC5W1200	300	284.00
500	1500	EACW5W1500	450	294.00	EACC5W1500	450	384.00
500	1700	EACW5W1700	450	344.00	EACC5W1700	450	444.00
600	700	EACW6W700	200	214.00	EACC6W700	200	244.00
600	1100	EACW6W1100	300	234.00	EACC6W1100	300	284.00
600	1500	EACW6W1500	450	304.00	EACC6W1500	450	394.00
600	1700	EACW6W1700	600	354.00	EACC6W1700	600	454.00

NAPOLI INFORMATION

Assembled and tested to EN50106 in the UK

Element in right hand side unless specified

For more technical info see www.apolloradiators.co.uk

Electrical components and accessories are guaranteed for one year only

All prices subject to VAT



made in
TURKEY



thermostatic: for more information see page 84



TEHE
plus £30

TEHE

APOLLO palermo

- modern design
- highly polished chrome plate ideal for bathrooms and cloakrooms
- available within 3 days



palermo chrome flat panel towel warmer

chrome designer towel warmer

SIZE		STOCK CODE	OUTPUT		PRICE CHROME
WIDTH	HEIGHT		WATT	BTU	
PALERMO CHROME FLAT					
500	800	PA5W800	338	1154	300.00
500	1200	PA5W1200	485	1655	350.00
500	1500	PA5W1500	595	2031	425.00
PALERMO CHROME OFFSET CURVED					
550	1100	PAOC6W1100	336	1155	350.00
550	1400	PAOC6W1400	420	1443	425.00

DIMENSIONS - PALERMO

	FLAT	CURVED
Back wall to front of rad	95mm	100mm
Back wall to pipe centres	70mm	50mm
Distance between pipe centres	430mm	50mm



PALERMO INFORMATION

EN442 Outputs $\Delta T50C$

Correction factor to $\Delta T60C = 1.2675$

For more technical info see www.apolloradiators.co.uk

All prices subject to VAT



made in
TURKEY



compatible valves: for more information see page 82



LCV15A



LCV15S



LCTRV15A



LCTRV15S



CCVC

APOLLO pavia

- modern minimalist design
- ideal for bathrooms, cloakrooms and even kitchens
- available in a choice of white (RAL 9016) or chrome within 3 days



pavia tube on tube towel warmer

tube on tube contemporary towel radiator

SIZE		STOCK CODE WHITE	OUTPUT		PRICE WHITE (RAL 9016)	STOCK CODE CHROME	OUTPUT		PRICE CHROME
WIDTH	HEIGHT		WATT	BTU			WATT	BTU	
PAVIA									
500	800	TOTW5W800	416	1419	120.00	TOTC5W800	323	1102	180.00
500	1200	TOTW5W1200	576	1965	150.00	TOTC5W1200	446	1521	230.00
500	1500	TOTW5W1500	718	2450	180.00	TOTC5W1500	556	1897	280.00
600	800	TOTW6W800	485	1655	130.00	TOTC6W800	376	1283	200.00
600	1200	TOTW6W1200	659	2248	165.00	TOTC6W1200	511	1743	260.00
600	1500	TOTW6W1500	778	2654	200.00	TOTC6W1500	603	2057	320.00

DIMENSIONS - PAVIA

Back wall to front of rad	92mm
Back wall to pipe centres	43mm
Distance between tappings	Width less 50mm

PAVIA INFORMATION

EN442 Outputs $\Delta T50C$

Correction factor to $\Delta T60C = 1.2675$

For more technical info see www.apolloradiators.co.uk

All prices subject to VAT



compatible valves: for more information see page 82



LWV15A



LCV15A



LCV15S



LCTRV15A



LCTRV15S



CCVC



TFPK

APOLLO venezia

- modern minimalist design
- suitable for the bathroom, ideal for the more modern setting
- available in chrome within 3 days
- also available as electric only or dual fuel



venezia contemporary chrome towel warmer

minimalist contemporary towel ladder rail

SIZE		STOCK CODE	OUTPUT		PRICE
WIDTH	HEIGHT		WATT	BTU	
VENEZIA					
500	800	CCM5W800	354	1208	180.00
500	1200	CCM5W1200	499	1704	220.00
500	1500	CCM5W1500	667	2277	280.00
600	800	CCM6W800	412	1407	200.00
600	1200	CCM6W1200	583	1989	240.00
600	1500	CCM6W1500	777	2651	310.00

DIMENSIONS - VENEZIA

Back wall to front of rad	86mm
Back wall to pipe centres	69mm
Distance between pipe centres	Width less 35mm

VENEZIA INFORMATION

EN442 Outputs $\Delta T50C$
 Correction factor to $\Delta T60C = 1.2675$
 For more technical info see www.apolloradiators.co.uk
 All prices subject to VAT



dual fuel option rail can be switched from central heating system to electric for summer use
 for more information see page 84



TEHE

sealed electric option for electric use only: for more information see page 84

compatible valves: for more information see page 82



LCV15A



LCV15S



LCTRV15A



LCTRV15S



CCVC



TFPK

APOLLO garda

- modern minimalist design
- suitable for the bathroom or kitchen ideal for the more modern setting
- available within 3 days
- also available as electric only or dual fuel



garda contemporary polished stainless steel towel warmer

polished stainless steel minimalist towel warmers



SIZE		STOCK CODE	OUTPUT		PRICE
WIDTH	HEIGHT		WATT	BTU	
GARDA					
400	750	GASS4W750	165	563	150.00
400	1200	GASS4W1200	257	877	215.00
400	1500	GASS4W1500	317	1082	250.00
500	750	GASS5W750	190	648	160.00
500	1200	GASS5W1200	299	1020	225.00
500	1500	GASS5W1500	370	1262	260.00
600	750	GASS6W750	215	734	180.00
600	1200	GASS6W1200	340	1160	250.00
600	1500	GASS6W1500	423	1443	300.00

DIMENSIONS - GARDA

Back wall to front of rad 72mm
 Back wall to pipe centres 57mm
 Distance between pipe centres Width less 30mm

GARDA INFORMATION

EN442 Outputs $\Delta T50C$
 Correction factor to $\Delta T60C = 1.2675$
 For more technical info see www.apolloradiators.co.uk
 All prices subject to VAT



dual fuel option rail can be switched from central heating system to electric for summer use
 for more information see page 84



TEHE

sealed electric option for electric use only: for more information see page 84

compatible valves: for more information see page 82



LCV15A LCV15S LCTRV15A LCTRV15S CCVC TFPK

APOLLO garda offset and sail



garda offset

garda sail

- modern design suitable for bathrooms or kitchens
- polished stainless steel finish
- available from stock within 3 days
- also available as electric or dual fuel

garda offset and sail polished stainless steel towel warmer

polished stainless steel designer towel warmers

SIZE		STOCK CODE	OUTPUT		PRICE
WIDTH	HEIGHT		WATT	BTU	
GARDA OFFSET					
500	1200	GOFF5W1200	403	1375	600.00
GARDA SAIL					
600	1200	GSAIL6W1200	465	1586	630.00

DIMENSIONS - GARDA OFFSET AND SAIL

Back wall to front of rad	105mm
Back wall to pipe centres	55mm
Distance between pipe centres	50mm



GARDA INFORMATION

EN442 Outputs $\Delta T50C$

Correction factor to $\Delta T60C = 1.2675$

For more technical info see www.apolloradiators.co.uk

All prices subject to VAT



dual fuel option rail can be switched from central heating system to electric for summer use for more information see page 84



TEHE

sealed electric option for electric use only: for more information see page 84

compatible valves: for more information see page 82



LCV15A



LCV15S



LCTRV15A



LCTRV15S



CCVC



TFPK



genova offset

genova wave

- top left genova offset suitable for bathrooms and kitchens
- top right genova wave suitable for bathrooms and kitchens
- bottom genova straight suitable for bathrooms and cloakrooms



genova straight

- brushed stainless steel towel warmer
- modern minimalist design
- available within 3 days
- also available as electric only or dual fuel

genova stainless steel towel warmer

brushed stainless steel designer towel radiators

SIZE		STOCK CODE	OUTPUT		PRICE
WIDTH	HEIGHT		WATT	BTU	
GENOVA STRAIGHT					
500	800	GSSTR5W800	230	784	280.00
500	1200	GSSTR5W1200	280	955	340.00
600	1200	GSSTR6W1200	310	1057	380.00
GENOVA OFFSET					
500	1000	GOSSTR5W1000	465	1587	750.00
500	1500	GOSSTR5W1500	670	2286	950.00
GENOVA WAVE					
600	1000	GWSSTR6W1000	382	1303	750.00
600	1500	GWSSTR6W1500	550	1877	950.00

DIMENSIONS - GENOVA			
	STRAIGHT	OFFSET	WAVE
Back wall to front of rad	70mm	65mm	65mm
Back wall to pipe centres	55mm	35mm	35mm
Distance between pipe centres	Width less 30mm	50mm	50mm

GENOVA INFORMATION

EN442 Outputs $\Delta T50C$
 Correction factor to $\Delta T60C = 1.2675$
 For more technical info see www.apolloradiators.co.uk
 All prices subject to VAT



dual fuel option rail can be switched from central heating system to electric for summer use
 for more information see page 84



TEHE

sealed electric option for electric use only: for more information see page 84

compatible valves: for more information see page 82



LCV15A



LCTRV15A



CCVC



Picture above shows CH




- with a range of designs to choose from, the traditional towel warmer is ideal for any bathroom setting
- also available as electric only or dual fuel
- finish shown is chrome available in 3 days
- also available in nickel in 20 days



dual fuel and electric only options available

ravenna traditional towel warmer

traditional brass UK manufactured towel warmer in chrome or nickel finish, available in dual fuel and electric



SIZE		OUTPUT		STOCK CODE	PRICE CHROME	STOCK CODE DUAL FUEL	PRICE CHROME	STOCK CODE SEALED ELECTRIC	PRICE CHROME
WIDTH	HEIGHT	WATT	BTU						
RAVENNA CH									
695	1030	386	1317	CH	950.00	DFCH	1150.00	SECH	1350.00
RAVENNA PIA									
485	955	190	648	PIA4	500.00	DFPIA4	600.00	SEPIA4	700.00
695	955	231	788	PIA6	550.00	DFPIA6	650.00	SEPIA6	750.00
RAVENNA PTA									
695	955	395	1348	PTA6	600.00	DFPTA6	700.00	SEPTA6	800.00
RAVENNA P									
695	695	174	594	P6	500.00	DFP6	600.00	SEP6	700.00


DIMENSIONS - RAVENNA	CH	PIA4	PIA6	PTA6	P6
TOP PROJECTION - wall to front of top rail	min 260	116	116	116	125
BOTTOM PROJECTION - wall to outside edge	min 285	142	142	142	125
PIPE CENTRES - wall to centre tapping	min 142	100	100	100	50
PIPE CENTRES - internal width - distance between tappings	538	328	538	538	610
PIPE CENTRES - floor to centre tapping	100	100	100	100	N/A

RAVENNA INFORMATION

EN442 Outputs $\Delta T50C$
 Correction factor to $\Delta T60C = 1.2675$
 For more technical info see www.apolloradiators.co.uk
 Electrical components are guaranteed for one year
 Nickel +35% lead time 20 days
 All prices subject to VAT



complementary products



compatible valves: for more information see page 82



RAVENNA ACCESSORIES			
DESCRIPTION	STOCK CODE	PRICE	COMPATIBLE WITH
CHROME ELEMENT COVER (wall)	ELCOVWA	90.00	wall mounted ravenna only
CHROME CABLE COVER (floor)	CACOVFL	70.00	floor mounted ravenna/ravenna plus only

APOLLO ravenna plus



Picture above shows TBJR6



SR



CR



TCR



TBJR4_15H



dual fuel and electric
only options available
in 3 days

BLACK TEXT MET

ravenna plus traditional towel warmer

traditional UK manufactured bathroom radiators in chrome or nickel finish complete with fitted roma column radiators in 46 colours available in dual fuel and electric



SIZE		OUTPUT		STOCK CODE	PRICE CHROME	STOCK CODE DUAL FUEL	PRICE CHROME	STOCK CODE SEALED ELECTRIC	PRICE CHROME
WIDTH	HEIGHT	WATT	BTU						
RAVENNA SR									
510	955	630	2150	SR4	500.00	DFSR4	650.00	SESR4	750.00
RAVENNA CR									
510	955	645	2201	CR4	500.00	DFCR4	650.00	SECR4	750.00
695	955	985	3361	CR6	550.00	DFCR6	700.00	SECR6	800.00
845	955	1328	4531	CR8	800.00	DFCR8	900.00	SECR8	1000.00
1000	955	1666	5685	CR10	1000.00	DFCR10	1100.00	SECR10	1200.00
RAVENNA TCR									
510	1500	1120	3822	TCR4_15H	950.00	DFTCR4_15H	1050.00	SETCR4_15H	1150.00
695	955	1025	3497	TCR6	650.00	DFTCR6	800.00	SETCR6	900.00
RAVENNA BJR									
510	955	645	2201	BJR4	600.00	DFBJR4	700.00	SEBJR4	800.00
695	955	985	3361	BJR6	650.00	DFBJR6	750.00	SEBJR6	850.00
RAVENNA TBJR									
510	955	670	2286	TBJR4	700.00	DFTBJR4	800.00	SETBJR4	900.00
510	1500	1120	3822	TBJR4_15H	1050.00	DFTBJR4_15H	1150.00	SETBJR4_15H	1250.00
695	955	1025	3497	TBJR6	750.00	DFTBJR6	850.00	SETBJR6	950.00

DIMENSIONS - RAVENNA PLUS	SR4	CR4	CR6	CR8	CR10	TCR4	TCR6	BJR4	BJR6	TBJR4	TBJR6
TOP PROJECTION - wall to outside edge	150	240	240	240	240	240	240	240	240	240	240
BOTTOM PROJECTION - wall to flange edge	142	142	142	142	142	142	142	142	142	142	142
PIPE CENTRES - wall to centre tapping	100	100	100	100	100	100	100	100	100	100	100
PIPE CENTRES - internal width-distance between tappings	353	353	538	690	842	353	538	353	538	353	538
PIPE CENTRES - floor to centre tapping	100	100	100	100	100	100	100	100	100	100	100

RAVENNA INFORMATION

EN442 Outputs $\Delta T50C$

Correction factor to $\Delta T60C = 1.2675$

For more technical info see www.apolloradiators.co.uk

Electrical components are guaranteed for one year only

Nickel +35% lead time 20 days

Standard Roma inserts white (RAL 9016)


Powder coated inserts plus £100 per rad

All prices subject to VAT



APOLLO standard colours

for more information see page 5



Stock Code

	capri radiator	ferrara, bassano	firenze victorian cast iron radiator	milano vertical plan radiator	milano horizontal plan radiator	malpensa, magenta, modena, monza aluminium radiators	rimini tube on tube radiator (vertical)	rimini tube on tube radiator (horizontal)	roma steel column range	garda, garda sail, garda offset contemporary polished stainless steel towel warmer	genova stainless steel towel warmer	napoli multitrail	palermo, palermo offset curved chrome panel towel warmer	pavia tube on tube towel warmer	ravenna traditional towel warmer	venezia contemporary chrome multitrail
LCV15A	●	●		●	●	●	●	●	●	●	●	●	●	●	●	●
LWV15A	●			●	●	●	●	●	●			●		●		
LCV15S		●		●				●		●	●	●	●	●		●
LWV15S				●				●				●		●		
LX15A			●						●						●	
LX15S												●			●	
LCTRV15A	●	●		●	●	●	●	●	●	●	●	●	●	●	●	●
LWTRV15A	●			●	●	●	●	●	●			●		●		
LCTRV15S		●		●				●		●	●	●	●	●		●
LWTRV15S				●				●				●		●		
TFPK	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
ITCCVA										●		●	●	●		●
ITCCVS										●		●	●	●		●
ITCCVDF										●		●				●
CCVC	●	●		●	●	●	●	●	●	●	●	●	●	●	●	●
TV15 (set) CCVC			●						●							
VV15 (set)			●				●	●	●							
LBTRV			●						●							

APOLLO radiator valves

Description (All valves sold as sets)	Stock Code	Price	
ITALIAN LUXURY POLISHED CHROME VALVE SET CHROME HEAD ANGLED 15mm Add 90mm for pipe centres	LCV15A	80.00	
ITALIAN LUXURY POLISHED CHROME VALVE SET WHITE HEAD ANGLED 15mm Add 90mm for pipe centres	LWV15A	70.00	
ITALIAN LUXURY POLISHED CHROME VALVE SET CHROME HEAD STRAIGHT 15mm	LCV15S	80.00	
ITALIAN LUXURY POLISHED CHROME VALVE SET WHITE HEAD STRAIGHT 15mm	LWV15S	70.00	
ITALIAN LUXURY VALVE SET CHROME 'X' HEAD ANGLED 15mm Add 90mm for pipe centres	LX15A	80.00	
ITALIAN LUXURY VALVE SET CHROME 'X' HEAD STRAIGHT 15mm	LX15S	80.00	
ITALIAN LUXURY POLISHED CHROME TRV SET CHROME HEAD ANGLED 15mm Add 90mm for pipe centres	LCTRV15A	120.00	
ITALIAN LUXURY POLISHED CHROME TRV SET WHITE HEAD ANGLED 15mm Add 90mm for pipe centres	LWTRV15A	105.00	
ITALIAN LUXURY POLISHED CHROME TRV SET CHROME HEAD STRAIGHT 15mm	LCTRV15S	120.00	
ITALIAN LUXURY POLISHED CHROME TRV SET WHITE HEAD STRAIGHT 15mm	LWTRV15S	105.00	
CHROME/BRASS/NICKEL PIPE COVERS AND FLOOR PLATE KIT	TFPK	40.00	
ITALIAN CONTEMPORARY CHROME VALVES SET ANGLED 15mm Add 90mm for pipe centres	ITCCVA	30.00	
ITALIAN CONTEMPORARY CHROME VALVES SET STRAIGHT 15mm	ITCCVS	30.00	
ITALIAN CONTEMPORARY CHROME VALVES SET DUAL FUEL 15mm	ITCCVDF	30.00	
CONTEMPORARY CHROME CORNER VALVES Add 90mm for pipe centres (side entry only)	CCVC	50.00	
TRADITIONAL STYLE - Brass Roundhead/NICKEL - 1/2" 15mm sold in pairs Add 100mm for pipe centres	TV15 (set)	100.00	
VICTORIAN STYLE - Antique Brass 'X' head/NICKEL- 1/2" 15mm sold in pairs Add 100mm for pipe centres	VV15 (set)	100.00	
LUXURY BRASS TRV VALVE SET - 1/2" 15mm Add 100mm for pipe centres	LBTRV	235.00	

APOLLO electric options for towel warmers

SEALED ELECTRIC OPTION

for electric use only

DESCRIPTION	STOCK CODE	PRICE
SEALED ELECTRIC OPTION (price for filling rail, fitting element and electrical testing to EN50106) Please note the element is not included in the price. Please add the required element from the dual fuel option table below.	SEO	100.00

DUAL FUEL OPTION

rail can be switched from central heating system to electric for summer use

DESCRIPTION		STOCK CODE	PRICE
ELECTRIC HEATING ELEMENT c/w POLISHED CHROME 'T' (choose element @ 50% of EN442 output)	200 WATT	EHE200W	65.00
	300 WATT	EHE300W	70.00
	450 WATT	EHE450W	75.00
	600 WATT	EHE600W	80.00
THERMOSTATIC ELECTRIC HEATING ELEMENT c/w POLISHED CHROME 'T' (tehe react to water temperature not room temperature)	300 WATT	TEHE300W	100.00
	600 WATT	TEHE600W	110.00

COMPATIBLE WITH

garda contemporary polished stainless steel towel warmer
napoli multirail

venezia contemporary chrome multirail
genova stainless steel towel warmer




EHE



TEHE

'T' PIECE FOR DUAL FUEL. IF USING THE DUAL FUEL OPTION, THE PIPE CENTRES WILL CHANGE. THE ABOVE DOES NOT APPLY FOR RAVENNA



about **APOLLO**

APOLLO Radiators is one of the leading independent distributors of radiators and towel rails in the UK. At **APOLLO** Radiators the emphasis is on quality, available from stock.

Our standard stock ranges are delivered to merchants within 3 to 5 working days.

The latest design standards are incorporated into each radiator, and every **APOLLO** radiator undergoes a detailed production process to ensure the highest quality standards are met.

APOLLO Radiators distribute throughout the UK to a wide range of independent merchants, as well as the national merchant groups.

APOLLO Radiators is dedicated to increasing the number of quality, value for money products available to our customers.

“the bitterness of poor quality remains long after the sweetness of low price is forgotten”



terms and conditions

All prices are in Sterling.

All prices are subject to VAT

There is no carriage charge for delivery to the UK mainland.

The manufacturing warranty for most products is 5 years, the notable exception being electrical products which have a warranty for 12 months.

After delivery by **APOLLO** Radiators, if goods are damaged in further transit or on-site, this is not covered by the warranty.

The warranty assumes fitting by an accredited and qualified tradesman and covers all manufacturing defects caused by faulty materials or workmanship, and will commence from the date of purchase from your wholesaler.

Please ensure the correct fixings for your wall type are used with the radiator brackets supplied; consult a professional or expert if unsure.

Adjusting pipe work prior to delivery - whilst we endeavour to ensure all pipe centre dimensions are correct, manufacturing tolerances require that we strongly recommend pipe work is not altered or adjusted until the new radiator or towel rail is fixed in its final position. **APOLLO** Radiators will not accept responsibility for any claims relating to installation of pipe work prior to the fixing of the radiator.

Any returns of goods which are not required will be subject to 20% handling and carriage charges.

Bespoke Specials and Coloured Radiators are not returnable.

(Sealed electric products and firenze cast iron radiators are assembled to order and as such, are classed as bespoke specials).

Standard Terms and Conditions apply, these are available on request.

Due to a policy of continuous improvement we reserve the right to change specifications and prices without prior notice.

APOLLO radiator ranges

lightweight designer aluminium radiators



magenta flat page 6



magenta curve page 8



malpensa flat page 10



malpensa curved page 12

modern aluminium radiators



modena page 16



monza page 22



roma



page 26

classic steel column radiators

contemporary steel designer radiators



bassano page 36



capri page 46



milano page 50



rimini page 56

contemporary stainless steel radiators



ferrara page 34



see www.apolloradiators.co.uk



firenze

traditional style cast iron column radiators



page 60



malpensa wave page 14

APOLLO towel warmer ranges

steel towel warmers



napoli page 62

contemporary steel towel warmers



palermo page 66



pavia page 68



venezia page 70


decorative contemporary stainless steel towel warmers




garda



page 72



genova




page 76

traditional UK made brass bathroom radiators



ravenna page 78



ravenna plus page 80

further accessories and information

valves page 82

electric options page 84

about apollo page 85

terms and conditions page 85



made in the UK and Europe

APOLLO RADIATORS

Web apolloradiators.co.uk

Email info@apolloradiators.co.uk

Tel **01452 311712** Fax **01452 311719**

2 Madleaze Trading Estate, Bristol Road, Gloucester, GL1 5SG

