




APOLLO **venezia** contemporary chrome towel warmer technical specification



VENEZIA DIMENSIONS (mm)

Height of radiator 800, 1200, 1500				
Width of radiator			500	600
Upright tube diameter			35	35
Cross tube diameter			20	20
Wall to front of rad		(A)	86	86
Wall to pipe centres		Side entry	N/A	N/A
		Bottom entry	(B)	69
Distance between tappings		Side entry	N/A	N/A
		Bottom entry	(C)	Width less 35
Pipe centres		Side entry	N/A	N/A
		Bottom entry	(C)	465
Bracket position		Top	(Dt)	80
		Bottom	(Db)	80

VENEZIA CONTEMPORARY CHROME 800 HIGH WEIGHTS AND VOLUMES

Model height mm	500	600
Dry weight (A) Kg	5.10	5.70
Water content (B) Litres	3.60	4.00
Working weight (A+B) Kg	8.70	9.70
White outputs: Watts $\Delta T=50k$	N/A	N/A
Chrome outputs: Watts $\Delta T=50k$	354	412

VENEZIA CONTEMPORARY CHROME 1200 HIGH WEIGHTS AND VOLUMES

Model height mm	500	600
Dry weight (A) Kg	7.50	8.50
Water content (B) Litres	5.30	5.90
Working weight (A+B) Kg	12.80	14.40
White outputs: Watts $\Delta T=50k$	N/A	N/A
Chrome outputs: Watts $\Delta T=50k$	499	583

VENEZIA CONTEMPORARY CHROME 1500 HIGH WEIGHTS AND VOLUMES

Model height mm	500	600
Dry weight (A) Kg	9.40	10.60
Water content (B) Litres	6.60	7.40
Working weight (A+B) Kg	16.00	18.00
White outputs: Watts $\Delta T=50k$	N/A	N/A
Chrome outputs: Watts $\Delta T=50k$	667	777

ADDITIONAL INFORMATION

Material	Laminated steel	
Steel tube measurements	See dimensions table	
Steel thickness	Upright	1.5mm
	Cross tubes	1.1mm
Maximum working pressure	10 bar/1000 kPa	
Testing pressure	16 bar/1600 kPa	
Maximum working temperature	90°C	
Configuration	800 high	2 banks/17 tubes (4 + 13)
	1200 high	3 banks/24 tubes (4 + 7 + 13)
	1500 high	4 banks/30 tubes (4 + 6 + 7 + 13)

TEMPERATURE

FACTORS FOR DIFFERENCES BETWEEN MEAN WATER TEMPERATURE AND ROOM TEMPERATURE IN °C AND °F OTHER THAN 50 °C (90 °F)

5 °C	0.050	10 °F	0.057
10 °C	0.123	20 °F	0.142
15 °C	0.209	30 °F	0.240
20 °C	0.304	40 °F	0.348
25 °C	0.406	50 °F	0.466
30 °C	0.515	60 °F	0.590
35 °C	0.629	70 °F	0.721
40 °C	0.748	80 °F	0.858
45 °C	0.872	90 °F	1.000
50 °C	1.000	100 °F	1.147
55 °C	1.132	110 °F	1.298
60 °C	1.267	120 °F	1.454
65 °C	1.406	130 °F	1.613
70 °C	1.549	140 °F	1.776
75 °C	1.694		

TO APPLY THE FACTORS SHOWN IN THE TABLE TO OUR QUOTED OUTPUTS. MULTIPLY THE QUOTED OUTPUT BY THE CHOSEN OPERATING FACTOR TO GIVE THE OUTPUT